# Author Index to Volume 21


ACEVEDO, H. F., AXELROD, L.R.; ISHIKAWA,E., and TAKAKI, F.: Steroidogenesis in the human fetal testis: the conversion of pregnenolone-7α-$H^3$ to dehydroepiandrosterone, testosterone and 4-androstene-3,17-dione (Letter to the Editor), 1611

ADAMS, D. D.: Bioassay of long-acting thyroid stimulator (L.A.T.S.); the dose-response relationship, 799

AHN, C. S., *see* ROSENBERG, I. N., 554

ALBERT, A.; DERNER, I.; LEIFERMAN, J.; STELLMACHER, V., and BARNUM, J.: Studies on the biologic characterization of human gonadotropins. VII. Urinary gonadotropins of men, postmenopausal women and eunuchs, 839

——; DERNER, I.; STELLMACHER, V.; LEIFERMAN, J., and BARNUM, J.: Purification of pituitary gonadotropin from urine of postmenopausal women, 1260

——; KOBI, J.; LEIFERMAN, J., and DERNER, I.: Purification of pituitary gonadotropin from urine of normal men, 1

——; STELLMACHER, V., and LEIFERMAN, J.: Method of purification of human pituitary gonadotropin for clinical assays (Letter to the Editor), 856

——, *see* FRETHEM, A. A., 849

——, *see* SALASSA, R. M., 506

ALEXANDER, R. W., and MARMORSTON, J.: Effect of two synthetic estrogens on the level of serum protein-bound iodine in men and women with atherosclerotic heart disease, 243

ALEXANDER, W. D., *see* BUCHANAN, W. W., 806

APOSTOLAKIS, M.; NOWAKOWSKI, H., and VOIGT, K. D.: Absorption and excretion of parenterally administered human pituitary gonadotropin (Letter to the Editor), 575

ARAI, Y., *see* ELRICK, H., 387

ARNAUD, C. D.; WALKER, J. A., and EWER, R. W.: Primary hyperparathyroidism associated with a cystic lesion in the neck; probable parathyroid cyst, 833

ARNETT, F., *see* BAKKE, J. L., 1280

AXELROD, L. R., and GOLDZIEHER, J. W.: Transmethylation of 2-hydroxyestrogens by human tissue (Letter to the Editor), 211

——, *see* ACEVEDO, H. F., 1611

BAHN, R. C., *see* PARIS, J., 1037

BAKER, R. A., *see* GOLDZIEHER, J. W., 62

BAKKE, J. L.; LAWRENCE, N.; ARNETT, F., and MACFADDEN, W.: The fractionation of exogenous and endogenous thyroid-stimulating hormone from human and rat plasma and tissues, 1280

BARBEITO, A., *see* ROCHE, M., 1009

BARNUM, J., *see* ALBERT, A., 839, 1260

BARR, M. L., *see* CARR, D. H., 491

BASTENIE, P. A., *see* DEVISSCHER, M., 175

——, *see* ERMANS, A. M., 996

BECKERS, C., *see* DEVISSCHER, M., 175

——, *see* ERMANS, A. M., 996

BEIERWALTES, W. H., *see* PARKER, R. H., 21, 792

BENJAMIN, G., *see* MARKS, L. J., 826

BERGENSTAL, D. M., *see* LIPSETT, M. B., 119

BERGFELT, G.; LJUNGGREN, J.-G., and HEDBERG, K.: Preoperative treatment of thyrotoxicosis with antithyroid drugs and thyroxine, 72

BERKI, R. H., *see* BLODGETT, F. M., 1087

BERKOL, S., *see* ONAT, A., 1079

BIGLIERI, E. G.; WATLINGTON, C. O., and FORSHAM, P. H.: Sodium retention with human growth hormone and its subfractions, 361

BJÖRKSTÉN, F., *see* LAMBERG, B.-A., 865

BLACKSHAW, J. K., *see* HAWKER, R. W., 985

BLAKEMORE, W. S., *see* TOUCHSTONE, J. C., 263

BLODGETT, F. M.; BERKI, R. H., and HERRMANN, W. L.: Hypospadias in a male infant with the adrenogenital syndrome, 1087

BOLING, L., *see* GOLDFIEN, A., 296

BONDY, P. K., *see* COHN, G. L., 1328

BONGIOVANNI, A. M.: Unusual steroid pattern in congenital adrenal hyperplasia: deficiency of 3β-hydroxy dehydrogenase (Letter to the Editor), 860

BORELL, U., *see* DICZFALUSY, E., 1119

BORRELL, S.: A simplified procedure for determination of urinary dehydroepiandrosterone, 1321

——: The excretion of Pettenkofer chromogens by healthy subjects and patients with various endocrine disorders, 955

BOWERS, C. Y.; MURISON, P. J.; GORDON, D. L., and LOCKE, W.: Effect of thyrotropin on the serum protein-bound iodine level in various thyroid states (TSH-PBI test), 465

BOYD, G. S., *see* CUTHBERTSON, W. F. J., 1579

BRADLOW, H. L., *see* FUKUSHIMA, D. K., 765

——, *see* HELLMAN, L., 1231

BRAMBILLA, F.; EPSTEIN, J. A., and KUPPERMAN, H. S.: Intermittent precocious breast development associated with mild bronchitis, 80

BRAUNSBERG, H., and JAMES, V. H. T.: The de-

termination of cortisol and corticosterone in blood: a review, 1146
BREUER, H.; PANGELS, G., and KNUPPEN, R.: Enzymic methylation of 2-hydroxyestradiol-17$\beta$ to 2-methoxyestradiol-17$\beta$ by human liver (Letter to the Editor), 1331
BRITTON, A., *see* WALFISH, P. G., 582
BRONSKY, D., *see* LEE, W. Y., 1402
BROWN, H., *see* WEST, C. D., 1197
BUCHANAN, W. W.; KOUTRAS, D. A.; ALEXANDER, W. D.; CROOKS, J.; RICHMOND, M. H.; MACDONALD, E. M., and WAYNE, E. J.: Iodine metabolism in Hashimoto's thyroiditis, 806
BURLEY, J., *see* ULSTROM, R. A., 414
BURRELL, C. D.: Transient myxedema (Letter to the Editor), 213
BUSE, J.; BUSE, M. G., and ROBERTS, W. J., JR.: Eosinophilic adenoma of the pituitary and carcinoid tumor of the recto-sigmoid area (Letter to the Editor), 735
BUSE, M. G., *see* BUSE, J., 735
BUTT, H. R., *see* MCCONAHEY, W. M., 879

CARR, D. H.; BARR, M. L.; PLUNKETT, E. R.; GRUMBACH, M. M.; MORISHIMA, A., and CHU, E. H. Y.: An XXXY sex chromosome complex in Klinefelter subjects with duplicated sex chromatin, 491
CARSTEN, M. E., *see* HAYS, M. T., 1469
CARTER, D. B., *see* WEST, C. D., 1197
CASSMER, O., *see* DICZFALUSY, E., 271
CAVALIERI, R. R.: Hyperthyroidism and decreased thyroxine binding by serum proteins, 1455
CHAGAS, W. A., *see* PROCÓPIO-VALLE, J., 965
CHAGOYA, L.; NURKO, B.; SANTOS, E., and RIVERA, A.: 6-Chloro, 6-dehydro, 17$\alpha$-acetoxyprogesterone: its possible action as an aldosterone antagonist, 1364
CHALFEN, M. H., *see* ROSENBERG, I. N., 554
CHANG, E., and DAO, T. L.: Adrenal estrogens. I. Conversion of 4-C$^{14}$-cortisone acetate to 11-oxygenated estrogens in women, 624
CHODOS, R. B., *see* MOSES, A. M., 1543
CHRISTENSEN, L. K., and LITONJUA, A. D.: Is thyroxine binding by pre-albumin of physiologic importance? (Letter to the Editor), 104
CHU, E. H. Y., *see* CARR, D. H., 491
COHEN, W. D.; HIGANO, N.; ROBINSON, R. W., and LE BEAU, R. J.: Changes in serum lipids and urinary ketosteroids during oral and intramuscular administration of androsterone, 1208
COHN, G. L.; UPTON, V., and BONDY, P. K.: The *in vivo* conversion of cortisol-4-C$^{14}$ to 6$\beta$-hydroxycortisol-4-C$^{14}$ by the human cirrhotic liver (Letter to the Editor), 1328
COLLE, E., *see* ULSTROM, R. A., 414
CONN, J. W., *see* FAJANS, S. S., 371
COX, R. I., and SHEARMAN, R. P.: Abnormal excretion of pregnanetriolone and $\Delta^5$-pregnenetriol in the Stein-Leventhal syndrome (Letter to the Editor), 586
CROOKS, J., *see* BUCHANAN, W. W., 806
CROYDON, M., *see* HALES, I. B., 189
CURD, G. W., JR., *see* FORD, R. V., 548
CUTHBERTSON, W. F. J.; ELCOATE, P. V.; IRELAND, D. M.; MILLS, D. C. B.; BOYD, G. S., and OLIVER, M. F.: The effects of various chlorine derivatives of thyronine on serum cholesterol concentration and myocardial stimulation in rats and humans, 1579

DAO, T. L., *see* CHANG, E.: 624
DAUGHADAY, W. H.; HOLLOSZY, J., and MARIZ, I. K.: Binding of corticosteroids by plasma proteins. VI. The binding of cortisol and aldosterone by corticosteroid-binding globulin and by the estrogen-induced binding system of plasma, 53
DAVE, M. J., *see* SHAH, P. N., 727
DEAMER, W. C., *see* ESCAMILLA, R. F., 721
DE GROOTE, J. W., *see* HALMI, N. S., 732
DE MOOR, P.; HENDRIKX, A., and HINNEKENS, M.: Extra-adrenal influence of corticotropin (ACTH) on cortisol metabolism (Letter to the Editor), 106
DERNER, I., *see* ALBERT, A., 1, 839, 1260
DE SMET, M., *see* DE VISSCHER, M., 175
DE VISSCHER, M.; BECKERS, C.; VAN DEN SCHRIECK, H.-G.; DE SMET, M.; ERMANS, A. M.; GALPERIN, H., and BASTENIE, P. A.: Endemic goiter in the Uele region (Republic of Congo). I. General aspects and functional studies, 175
——, *see* ERMANS, A. M., 996
DHYSE, F. G., *see* LIPSETT, M. B., 119
DICZFALUSY, E., and BORELL, U.: Influence of oophorectomy on steroid excretion in early pregnancy, 1119
——, and CASSMER, O.: Urinary 17-ketosteroids following administration of long-acting testosterone esters, 271
——, *see* JOHANNISSON, E., 1068
DIDTSCHENKO, I., *see* DOBYNS, B. M., 699
DINGMAN, J. F., *see* STAUB, M. C., 148
DI RAIMONDO, V., *see* SCHOEN, E. J., 518
DOBYNS, B. M., and DIDTSCHENKO, I.: Nuclear changes in thyroidal epithelium following radiation from radioiodine, 699
——; WRIGHT, A., and WILSON, L.: Assay of the exophthalmos-producing substance in the serum of patients with progressive exophthalmos, 648
DOMINGUEZ, O. V.: Biosynthesis of steroids by testicular tumors complicating congenital adrenocortical hyperplasia, 663
——, *see* SCHOEN, E. J., 518
DORFMAN, R. I., *see* FINKELSTEIN, M., 98
——, *see* SAVARD, K., 165
DOWBEN, R. M., *see* KUHL, W. J., 1592
DOWLING, J. T.; INGBAR, S. H., and FREINKEL, N.: Abnormal circulating iodoproteins in the blood of eumetabolic goitrous adults, 1390
——; HUTCHINSON, D. L.; HINDLE, W. R., and KLEEMAN, C. R.: Effects of pregnancy on iodine metabolism in the primate, 779
DOWNES, J. C., *see* HAWKER, R. W., 985
DUNCAN, F. J., *see* MARKS, L. J., 826

EIK-NES, K., *see* NUGENT, C. A., 1106
EINHORN, J., and HÅSTAD, K.: Prognostic value

of early determination of thyroidal radioiodine uptake following $I^{131}$ therapy, 1483
EKMAN, H.; HÅKANSSON, B.: MCCARTHY, J. D.; LEHMANN, J., and SJÖGREN, B.: Plasma 17-hydroxycorticosteroids in Cushing's syndrome, 684
ELCOATE, P. V., *see* CUTHBERTSON, W. F. J., 1579
ELRICK, H.; HLAD, C. J., JR., and ARAI, Y.: Influence of thyroid function on carbohydrate metabolism and a new method for assessing response to insulin, 387
ELSINGA, K. E., *see* PARKER, R. H., 792
ENGEL, I., *see* ROSEMBERG, E., 603, 1063
ENGLERT, E., JR., *see* WEST, C. D., 1197
ENGSTROM, W. W.: Reappearance of menstruation and gonadotropins with treatment of secondary thyroid and adrenocortical failure in Sheehan's syndrome (Letter to the Editor), 1007
ENSINCK, J., *see* RICH, C., 611
EPSTEIN, J. A., *see* BRAMBILLA, F., 80
ERMANS, A. M.; BASTENIE, P. A.; GALPERIN, H.; BECKERS, C.; VAN DEN SCHRIECK, H. G., and DE VISSCHER, M.: Endemic goiter in the Uele region. II. Synthesis and secretion of thyroid hormones, 996
——, *see* DE VISSCHER, M., 175
ESCAMILLA, R. F.; HUTCHINGS, J. J.; DEAMER, W. C.; LI, C. H., and FORSHAM, P. H.: Long-term effects of human growth hormone (Li) in a pituitary dwarf, 721
EWER, R. W., *see* ARNAUD, C. D., 833
EZRIN, C., *see* WALFISH, P. G., 582

FAJANS, S. S.; SCHNEIDER, J. M.; SCHTEINGART, D. E.; and CONN, J. W.: The diagnostic value of sodium tolbutamide in hypoglycemic states, 371
FARMER, T. A., JR.; HILL, S. R., JR.; PITTMAN, J. A., JR., and HEROD, J. W., JR.: The plasma 17-hydroxycorticosteroid response to corticotropin, SU-4885 and lipopolysaccharide pyrogen, 433
FEINGOLD, D. S., *see* KUMAHARA, Y., 887
FERRIMAN, D., and GALLWEY, J. D.: Clinical assessment of body hair growth in women, 1440
FESLER, K. W., *see* STAUB, M. C., 148
FINKELSTEIN, M.; FORCHIELLI, E., and DORFMAN, R. I.: Estimation of testosterone in human plasma (Letter to the Editor), 98
FISHER, L. V., *see* OPPENHEIMER, J. H., 252, 1023
FLANAGAN, G. C.; SCHWARTZ, T. B., and RYAN, W. G.: Studies on patients with islet-cell tumor, including the phenomenon of leucine-induced accentuation of hypoglycemia, 401
FLOOD, C. A., *see* UNDERWOOD, R. H., 1092
FORBES, T. R.; LEIBOW, S. G.; RAY, E. W., and GARDNER, L. I.: Progestin in the blood of newborn infants (Letter to the Editor), 862
FORCHIELLI, E., *see* FINKELSTEIN, M., 98
FORD, R. V.; OWENS, J. C.; CURD, G. W., JR.; MOYER, J. H., and SPURR, C. L.: Kidney function in various thyroid states, 548
FORSHAM, P. H., *see* BIGLIERI, E. G., 361
——, *see* ESCAMILLA, R. F., 721
FRANTZ, A. G.; KATZ, F. H., and JAILER, J. W.: 6$\beta$-Hydroxycortisol and other polar corticosteroids; measurement and significance in human urine, 1290
FREEDBERG, I. M., *see* KUMAHARA, Y., 887
FREINKEL, N. *see* DOWLING, J. T., 1390
FRETHEM, A. A.; ALBERT, A., and KEATING, F. R., JR.: Iodine metabolism in surviving thyroid slices from patients with exophthalmic goiter, 849
FRIEDMAN, I. S., *see* RABINOWITZ, P., 1489
FUJITA, T., *see* IBAYASHI, H., 140
FUKUSHIMA, D. K., BRADLOW, H. L.; HELLMAN, L.; ZUMOFF, B., and GALLAGHER, T. F.: Study of 17-hydroxyprogesterone-4-$C^{14}$ in man, 765
FUTTERWEIT, W., *see* SOFFER, L. J., 1267

GABRILOVE, J. L., *see* JACOBS, D. R., 909
——, *see* SAVARD, K., 165
GALLAGHER, T. F., *see* FUKUSHIMA, D. K., 765
——, *see* HELLMAN, L., 1231
GALLWEY, J. D., *see* FERRIMAN, D., 1440
GALPERIN, H., *see* DE VISSCHER, M., 175
——, see ERMANS, A. M., 996
GARDNER, L. I., *see* FORBES, T. R., 862
——, *see* VOORHESS, M. L., 321
GARREN, L. D., and LIPSETT, M. B.: The effect of euthyroidal hypermetabolism on cortisol removal rates, 1248
GEMZELL, C. A., *see* JOHANNISSON, E., 1068
GERMAN, E.; HOROWITZ, H.; VANDE WIELE, R., and TORACK, R. M.: Leydig-cell tumor of the ovary: case report and review, 91
GIVOL, D., *see* LUNENFELD, B., 478
GOLDFIEN, A.; MOORE, R.; ZILELI, S.; HAVENS, L. L.; BOLING, L., and THORN, G. W.: Plasma epinephrine and norepinephrine levels during insulin-induced hypoglycemia in man, 296
——; ZILELI, S.; GOODMAN, D., and THORN, G. W.: The estimation of epinephrine and norepinephrine in human plasma, 281
GOLDNER, M. G., *see* SOUTHREN, A. L., 201
GOLDZIEHER, J. W.; BAKER, R. A., and RIHA, E. C.: The quantitative extraction and partial purification of steroids in tissue and blood, 62
——, *see* AXELROD, L. R., 211
GOLUB, O. J., *see* PILEGGI, V. J., 1272
GOOD, B. F., *see* WELLBY, M. L., 1494
GOODMAN, D., *see* GOLDFIEN, A., 281
GORDON, D. L., *see* BOWERS, C. Y., 465
GREEN, W. L., and INGBAR, S. H.: The peripheral metabolism of tri- and tetraiodothyroacetic acids in man, 1548
GRUMBACH, M. M., *see* CARR, D. H., 491
GUEST, G. M., *see* PETTIT, M. D., 209
GUT, M., *see* SAVARD, K., 165
GWINUP, G.: Hypercalcemia as a complication of vitamin D therapy in postmenopausal osteoporosis (Letter to the Editor), 101

HÅKANSSON, B., *see* EKMAN, H., 684
HALES, I. B.; MYHILL, J.; ODDIE, T. H., and CROYDON, M.: Quantitative observations

with the triiodothyronine suppression test of thyroid function, 189
——; MYHILL, J.; ODDIE, T. H., and RUNDLE, F. F.: Thyroid suppressibility after therapy for thyrotoxicosis, 569
——, *see* MYHILL, J., 817
HALMI, N. S., and DE GROOTE, J. W.: Remarks concerning two types of basophil cells in the human adenohypophysis (Letter to the Editor), 732
HALPER, I. S., *see* KUHL, W. J., 1592
HARDEN, A. B., *see* MITCHELL, M. L., 157, 1448, 1566
HARRIS, L. H.: The protein anabolic action of mestanolone, 1099
HASSOUN, S., *see* PARKER, R. H., 792
HÅSTAD, K., *see* EINHORN, J., 1483
HAVENS, L. L., *see* GOLDFIEN, A., 296
HAWKER, R. W.; WALMSLEY, C. F.; ROBERTS, V. S.; BLACKSHAW, J. K., and DOWNES, J. C.: Oxytocic activity of blood in parturient and lactating women, 985
HAYS, M. T.; SOLOMON, D. H.; PIERCE, J. G., and CARSTEN, M. E.: The effect of purified bovine thyroid-stimulating hormone in man. I. Dose-response characteristics studied with $I^{132}$, 1469
——; SOLOMON, D. H., and WERNER, S. C.: The effect of purified bovine thyroid-stimulating hormone in man. II. Loss of effectiveness with prolonged administration, 1475
HEDBERG, K., *see* BERGFELT, G., 72
HELLMAN, L.; BRADLOW, H. L.; ZUMOFF, B., and GALLAGHER, T. F.: The influence of thyroid hormone on hydrocortisone production and metabolism, 1231
——, *see* FUKUSHIMA, D. K., 765
HENDRIKX, A., *see* DE MOOR, P., 106
HENRY, R. J., *see* JACOBS, S. L., 305, 315
——, *see* PILEGGI, V. J., 1272
HEROD, J. W., JR., *see* FARMER, T. A., JR., 433
HERRMANN, W. L., *see* BLODGETT, F. M., 1087
HETZEL, B. S., *see* WELLBY, M. L., 1494
HIATT, H. H., *see* KUMAHARA, Y., 887
HIGANO, N., *see* COHEN, W. D., 1208
HILL, S. R., JR., *see* FARMER, T. A., JR., 433
HINDLE, W. R., *see* DOWLING, J. T., 779
HINNEKENS, M., *see* DE MOOR, P., 106
HIRABAYASHI, R. N., and LINDSAY, S.: Carcinoma of the thyroid gland: a statistical study of 390 patients, 1596
HLAD, C. J., JR., *see* ELRICK, H., 387
HOLLOSZY, J., *see* DAUGHADAY, W. H., 53
HOMER, L.: Hypoparathyroidism requiring massive amounts of medication, with apparent response to magnesium sulfate (Letter to the Editor), 219
HOROWITZ, H., *see* GERMAN, E., 91
HOWARD, J. E.: Adventures in clinical research on bones and stones, 1254
HURXTHAL, L M.: Pituitary gigantism in a child five years of age: effect of x-radiation, estrogen therapy and self-imposed starvation diet during an eleven-year period, 343
HUTCHINGS, J. J., *see* ESCAMILLA, R. F., 721
HUTCHINSON, D. L., *see* DOWLING, J. T., 779

IBAYASHI, H.; FUJITA, T.; MOTOHASHI, K.; YOSHIDA, S.; OHSAWA, N.; MURAKAWA, S.; YOKOTA, T., and OKINAKA, S.: Determination of adrenocorticotropin in human urine by a benzoic-acid adsorption method, 140
INGBAR, S. H.: The action of 1,1,3-tricyano-2-amino-1-propene (U-9189) on the thyroid gland of the rat and its effects in human thyrotoxicosis, 128
——, *see* DOWLING, J. T., 1390
——, *see* GREEN, W. L., 1548
IRELAND, D. M., *see* CUTHBERTSON, W. F. J., 1579
ISHIKAWA, E., *see* ACEVEDO, H. F., 1611
ISLAND, D., *see* WILLIAMS, W. C., JR., 426
ITO, K., *see* NAKANISHI, T., 1054
IVY, H. K.: Permanent myxedema: an unusual complication of granulomatous thyroiditis, 1384

JACOBS, D. R.; VAN DER POLL, J.; GABRILOVE, J. L., and SOFFER, L. J.: 17$\alpha$-Hydroxyprogesterone—A salt-losing steroid: relation to congenital adrenal hyperplasia, 909
JACOBS, S. L.; SOBEL, C., and HENRY, R. J.: Excretion of 3-methoxy-4-hydroxymandelic acid and catecholamines in patients with pheochromocytoma, 315
——; SOBEL, C., and HENRY, R. J.: Specificity of the trihydroxyindole method for determination of urinary catecholamines, 305
JAENIKE, J. R., and WATERHOUSE, C.: The renal response to sustained administration of vasopressin and water in man, 231
JAILER, J. W., *see* FRANTZ, A. G., 1290
——, *see* OPPENHEIMER, J. H., 252, 1023
JAMES, V. H. T., *see* BRAUNSBERG, H., 1146
JOHANNISSON, E.; GEMZELL, C. A., and DICZFALUSY, E.: Effect of a single injection of human pituitary follicle-stimulating hormone on urinary estrogens and the vaginal smear in amenorrheic women, 1068
JOHNSTON, C. C., JR., and SCHNUTE, R. B.: A case of primary hyperparathyroidism with spontaneous remission following infraction of the adenoma with development of hypocalcemic tetany, 196

KÄÄRIÄINEN, R., *see* LAMBERG, B.-A., 865
KAPLAN, N. M.: Successful pregnancy following hypophysectomy during the twelfth week of gestation, 1139
KARLSSON, K., *see* LAMBERG, A.-A., 865
KATZ, F. H., *see* FRANTZ, A. G., 1290
KEATING, F. R., JR.: Thyrotropin and thyroiditis (Letter to the Editor), 738
——, *see* FRETHEM, A. A., 849
——, *see* MCCONAHEY, W. M., 879
KELLEY, V. C., *see* WAXMAN, S. H., 943
KIND, H.: The role of androgenic hormones in human sexual behavior (Letter to the Editor), 482
KLEEMAN, C. R., *see* DOWLING, J. T., 779
KLEIN, R., *see* MARKS, J. F., 1498
KLIGMAN, A. M., *see* STRAUSS, J. S., 215

KNUPPEN, R., *see* BREUER, H., 1331
KOBI, J., *see* ALBERT, A., 1
KOUTRAS, D. A., *see* BUCHANAN, W. W., 806
KRIEGER, D. T.: Diurnal pattern of plasma 17-hydroxycorticosteroids in pretectal and temporal lobe disease, 695
KUHL, W. J.; HALPER, I. S., and DOWBEN, R. M.: Thyroxine and triiodothyronine turnover studies in dystrophia myotonica, 1592
KUMAGAI, L. F., *see* WEST, C. D., 1197
KUMAHARA, Y.; FEINGOLD, D. S.; FREEDBERG, I. M., and HIATT, H. H.: Studies of pentose metabolism in normal subjects and in patients with pentosuria and pentosuria trait, 887
KUPPERMAN, H. S., *see* BRAMBILLA, F., 80

LAMBERG, A.-A.; NIKKILÄ, E. N.; KÄÄRIÄINEN, R.; KARLSSON, K., and BJÖRKSTÉN, N. F.: Thyroid function in a case of phenylketonuria (Letter to the Editor), 865
LANDAU, R. L., and LUGIBIHL, K.: The effect of dietary protein on the catabolic influence of progesterone, 1345
——, and LUGIBIHL, K.: The effect of progesterone on amino acid metabolism, 1355
LANDING, B. H., *see* PETTIT, M. D., 209
LAUFER, A., *see* SOUTHREN, A. L., 201, 675
LAWRENCE, N., *see* BAKKE, J. K., 1280
LE BEAU, R. J., *see* COHEN, W. D., 1208
LEE, J. B.; NELSON, D. H., and THORN, G. W.: The cyclical pattern of renal excretion during the adaptation of normal subjects to desoxycorticosterone-induced sodium retention, 1426
LEE, N. D., *see* PILEGGI, V. J., 1272
LEE, W. Y.; MORIMOTO, P. K.; BRONSKY, D., and WALDSTEIN, S. S.: Studies of thyroid and sympathetic nervous system interrelationships. I. The blepharoptosis of myxedema, 1402
LEHMANN, J., *see* EKMAN, H., 684
LEIBOW, S. G., *see* FORBES, T. R., 862
LEIFERMAN, J., *see* ALBERT, A., 1, 839, 856, 1260
LERMAN, J.: Dissociation of response to triiodothyroacetic acid in myxedema: comparison with response to thyroid substance, 1044
LI, C. H., *see* ESCAMILLA, R. F., 721
LIDDLE, G. W., *see* WILLIAMS, W. C., JR., 426
LIEBERMAN, S., *see* ROBERTS, K. D., 1522
LINDSAY, S., *see* HIRABAYASHI, R. N., 1596
LIPSETT, M. B.; BERGENSTAL, D. M., and DHYSE, F. G.: Metabolic studies with human growth hormone in dwarfism and acromegaly, 119
——, *see* GARREN, L. D., 1248
——, *see* WILSON, H., 1304
LITONJUA, A. D., *see* CHRISTENSEN, L. K., 104
LJUNGGREN, J.-G., *see* BERGFELT, G., 72
LLOYD, C. W., *see* MOSES, A. M., 1543
LOBOVSKY, F., *see* MOSES, A. M., 1543
LOCKE, W., *see* BOWERS, C. Y., 465
LUGIBIHL, K., *see* LANDAU, R. L., 1345, 1355
LUNENFELD, B.; GIVOL, D., and SELA, M.: Immunologic properties of urinary preparations of human menopausal gonadotropins, with special reference to Pergonal (Letter to the Editor), 478

MACDONALD, E. M., *see* BUCHANAN, W. W., 806
MACFADDEN, W., *see* BAKKE, J. L., 1280
MAHAJAN, D. K., *see* SHAH, P. N., 727
MANCEAU, J. N., *see* PROCÓPIO-VALLE, J., 965
MARIZ, I. K., *see* DAUGHADAY, W. H., 53
MARKS, J. F., and KLEIN, R.: Effect of leucine on plasma insulin concentration in a girl with a pancreatic adenoma (Letter to the Editor), 1498
MARKS, L. J.; BENJAMIN, G.; DUNCAN, F. J., and O'SULLIVAN, J. V. J.: Comparative effects of ethinyl estradiol, 17$\alpha$-ethyl-19-nortestosterone and methyltestosterone on the plasma clearance of infused cortisol, 826
MARMORSTON, J., *see* ALEXANDER, R. W., 243
MARTIN, M. M.; REDDY, W. J., and THORN, G. W.: Method for the simultaneous determination of pregnanediol and pregnanetriol: estimation of urinary excretion in normal subjects and in ten patients with adrenocortical disorders, 923
MASON, H. L., *see* SALASSA, R. M., 506
MASSEY, C. G., *see* WHITNEY, J. E., 541
MATTOX, V. R., *see* SALASSA, R. M., 506
MCCARTHY, J. D., *see* EKMAN, H., 684
MCCONAHEY, W. M.; KEATING, F. R., JR.; BUTT, H. R., and OWEN, C. A., JR.: Comparison of certain laboratory tests in the diagnosis of Hashimoto's thyroiditis, 879
——, *see* PARIS, J. 1037
MCKENZIE, J. M.: Studies on the thyroid activator of hyperthyroidism, 635
MELLINGER, R. C., and SMITH, R. W., JR.: Effects of oral administration of estrogens on the 17-ketosteroid excretion of virilized women, 931
MELVILLE, P. H., *see* WALFISH, P. G., 582
MILLS, D. C. B., *see* CUTHBERTSON, W. F. J., 1579
MITCHELL, M. L.; O'ROURKE, M. E., and HARDEN, A. B.: Differences in the response of euthyroid and hyperthyroid patients to thyro-inhibitory substances, 1566
——; O'ROURKE, M. E., and HARDEN, A. B.: Resin uptake of radiothyroxine in thyroid disease and in pregnancy, 1448
——; SANCHEZ-MARTIN, J.A.; HARDEN, A. B., and O'ROURKE, M. E.: Failure of thiourea to prevent hormone synthesis by the thyroid gland of man and animals treated with thyrotropin, 157
MOORE, F. D., *see* STEENBURG, R. W., 39
MOORE, R., *see* GOLDFIEN, A., 296
MORIMOTO, P. K., *see* LEE, W. Y., 1402
MORISHIMA, A., *see* CARR, D. H., 491
MORRIS, C. W., *see* ROMANOFF, L. P., 1413
MORSE, J. H.: Correlation of insulin requirements with the concentration of insulin-binding antibody in two cases of insulin resistance, 533
MOSES, A. M.; LOBOVSKY, F.; CHODOS, R. B., and LLOYD, C. W.: Failure of vasopressin or oxytocin to stimulate thyroid function in the normal male, 1543
MOTOHASHI, K., *see* IBAYASHI, H., 140
MOYER, J. H., *see* FORD, R. V., 548
MURAKAWA, S., *see* IBAYASHI, H., 140
MURISON, P. J., *see* BOWERS, C. Y., 465

MYHILL, J.; ODDIE, T. H.; RUNDLE, F. F.; HALES, I. B., and THOMAS, I. D.: System of radioiodine therapy for thyrotoxicosis and nontoxic goiter involving measurement of thyroidal radiosensitivity, 817
——, *see* HALES, I. B., 189, 569

NAIK, S. N., *see* SHAH, P. N., 727
NAKANISHI, T.; SHIZUME, K.; OKINAKA, S., and ITO, K.: Initial electrical capacity of the skin in thyroid disease, 1054
NELSON, D. H., *see* LEE, J. B., 1426
NELSON, K. M., *see* OPPENHEIMER, J. H., 252
NIKKILÄ, E. N., *see* LAMBERG, B.-A., 865
NOGUCHI, A., *see* YAMAZAKI, E., 336, 1013, 1127
NOWAKOWSKI, H., *see* APOSTOLAKIS, M., 575
NUGENT, C. A.; EIK-NES, K., and TYLER, F. H.: The disposal of plasma 17-hydroxycorticosteroids. I. Exponential disposal from a single compartment, 1106
NURKO, B., *see* CHAGOYA, L., 1364

ODDIE, T. H., *see* HALES, I. B., 189, 569
——, *see* MYHILL, J., 817
OHSAWA, N., *see* IBAYASHI, H., 140
OKINAKA, S., *see* IBAYASHI, H., 140
——, *see* NAKANISHI, T., 1054
OLDFIELD, R. A. A., JR., *see* WILLIAMS, W. C., JR., 426
OLIVER, M. F., *see* CUTHBERTSON, W. F. J., 1579
ONAT, A.; ÖZDAMAR, E., and BERKOL, S.: Sodium and potassium metabolism in a case of familial periodic paralysis, 1079
OPPENHEIMER, J. H.; FISHER, L. V., and JAILER, J. W.: Disturbance of the pituitary-adrenal interrelationship in diseases of the central nervous system, 1023
——; FISHER, L. V.; NELSON, K. M., and JAILER, J. W.: Depression of the serum protein-bound iodine level by diphenylhydantoin, 252
O'ROURKE, M. E., *see* MITCHELL, M. L., 157, 1448, 1566
O'SULLIVAN, J. V. I., *see* MARKS, L. J., 826
OWEN, C. A., JR., *see* McCONAHEY, W. M., 879
OWENS, J. C., *see* FORD, R. V., 548
ÖZDAMAR, E., *see* ONAT, A., 1079

PANGELS, G., *see* BREUER, H., 1331
PARIS, J.; McCONAHEY, W. M.; TAUXE, W. N.; WOOLNER, L. B., and BAHN, R. C.: The effect of iodides on Hashimoto's thyroiditis, 1037
——, *see* SALASSA, R. M., 506
PARKER, R. H., and BEIERWALTES, W. H.: Inheritance of defective organification of iodine in familial goitrous cretinism, 21
——, and BEIERWALTES, W. H., with the technical assistance of ELZINGA, K. E.; SPAFFORD, N. R., and HASSOUN, S.: Thyroid antibodies during pregnancy and in the newborn, 792
PAYMASTER, J. C., *see* SHAH, P. N., 727
PERINETTI, H., *see* ROCHE, M., 1009
PETTIT, M. D.; LANDING, B. H., and GUEST, G. M.: Antithyroid antibody in juvenile diabetics (Letter to the Editor), 209
PIERCE, J. G., *see* HAYS, M. T., 1469
PILEGGI, V. J.; LEE, N. D.; GOLUB, O. J., and HENRY, R. J.: Determination of iodine compounds in serum. I. Serum thyroxine in the presence of some iodine contaminants, 1272
PINCUS, G., *see* ROMANOFF, L. P., 1413
PITTMAN, J. A., JR., *see* FARMER, T. A., JR., 433
PLUNKETT, E. R., *see* CARR, D. H., 491
PROCÓPIO-VALLE, J.; CHAGAS, W. A., and MANCEAU, J. N.: Value of drumsticks and other nuclear appendices in the determination of sex. Discriminatory analysis based on findings in 804 normal subjects, 965

RABINOWITZ, P., and FRIEDMAN, I. S.: Drug-induced lactation in uremia, 1489
RAWSTRON, J. R.: The sublabial absorption of serum gonadotropin (Letter to the Editor), 579
RAY, E. W., *see* FORBES, T. R., 862
REDDY, W. J., *see* MARTIN, M. M., 923
REYNOLDS, J. W., *see* ULSTROM, R. A., 414
RICH, C.; ENSINCK, J., and FELLOWS, H.: The use of continuous infusions of calcium$^{45}$ and strontium$^{85}$ to study skeletal function, 611
RICHMOND, M. H., *see* BUCHANAN, W. W., 806
RIHA, E. C., *see* GOLDZIEHER, J. W., 62
RIVERA, A., *see* CHAGOYA, L., 1364
ROBERTS, K. D.; VANDE WIELE, R. L., and LIEBERMAN, S.: Hydroxypregnenolone as a precursor of urinary steroids in a patient with a virilizing adenoma of the adrenal, 1522
ROBERTS, V. S., *see* HAWKER, R. W., 985
ROBERTS, W. J., JR., *see* BUSE, J., 735
ROBINSON, R. W., *see* COHEN, W. D., 1208
ROCHE, M.; PERINETTI, H., and BARBEITO, A.: Urinary excretion of stable iodine in a small group of isolated Venezuelan Indians (Letter to the Editor), 1009
RODRIGUEZ, R. M., *see* ROMANOFF, L. P., 1413
ROMANOFF, L. P.; MORRIS, C. W.; WELCH, P.; RODRIGUEZ, R. M., and PINCUS, G.: The metabolism of cortisol-4-C$^{14}$ in young and elderly men. I. Secretion rate of cortisol and daily excretion of tetrahydrocortisol, allotetrahydrocortisol, tetrahydrocortisone and cortolone (20$\alpha$ and 20$\beta$), 1413
ROSEMBERG, E., and ENGEL, I.: Comparative activities of two gonadotropin preparations from the urine of postmenopausal women, 1063
——, and ENGEL, I.: Comparative activities of urinary gonadotropin preparations from postmenopausal women, 603
ROSENBERG, I. N.; AHN, C. S., and CHALFEN, M. H.: Effect of thyrotropin upon release of iodide from human and rat thyroid, 554
RUNDLE, F. F., *see* HALES, I. B., 569
——, *see* MYHILL, J., 817
RYAN, D. W., *see* WILSON, H., 1304
RYAN, W. G., *see* FLANAGAN, G. C., 401

SAITO, A., *see* SOUTHREN, A. L., 675
SALASSA, R. M.; PARIS, J.; MATTOX, V. R.; MASON, H. L., and ALBERT, A.: Endocrine

studies in a case of male pseudohermaphroditism: testicular feminization, 506
SALHANICK, H. A., *see* WARREN, J. C., 1218, 1376
SALVANESCHI, J., *see* SOFFER, L. J., 1267
SANCHEZ-MARTIN, J. A., *see* MITCHELL, M. L., 157
SANDBERG, A. A., *see* SLAUNWHITE, W. R., JR., 753
——, *see* VERMEULEN, A., 1534
SANTOS, E., *see* CHAGOYA, L., 1364
SATO, S., *see* YAMAZAKI, E., 1127
SAVARD, K.; GUT, M.; DORFMAN, R. I.; GABRILOVE, J. L., and SOFFER, L. J.: Formation of androgens by human arrhenoblastoma tissue *in vitro*, 165
SCHNEIDER, J. M., *see* FAJANS, S. S., 371
SCHNUTE, R. B., *see* JOHNSTON, C. C., JR., 196
SCHOEN, E. J.; DI RAIMONDO, V. D., and DOMINGUEZ, O. V.: Bilateral testicular tumors complicating congenital adrenocortical hyperplasia, 518
SCHTEINGART, D. E., *see* FAJANS, S. S., 371
SCHWARTZ, T. B., *see* FLANAGAN, G. C., 401
SELA, M., *see* LUNENFELD, B., 478
SHAH, P. N.; NAIK, S. N.; MAHAJAN, D. K.; PAYMASTER, J. C.; DAVE, M. J., and TIWARI, R.: Male pseudohermaphrodism with female chromosomal complement (Letter to the Editor), 727
SHARPE, A. R., JR.: Inhibition of thyroidal $I^{131}$ uptake by parabromdylamine maleate (Letter to the Editor), 739
SHEARMAN, R. P., *see* COX, R. I., 586
SHIZUME, K., *see* NAKANISHI, T., 1054
SIMONS, E. L., *see* WEST, C. D., 1197
SJÖGREN, B., *see* EKMAN, H., 684
SLAUNWHITE, W. R., JR., and SANDBERG, A. A.: Disposition of radioactive 17$\alpha$-hydroxyprogesterone, 6$\alpha$-methyl-17$\alpha$-acetoxyprogesterone and 6$\alpha$-methyl-prednisolone in human subjects, 753
——, *see* VERMEULEN, A., 1534
SLINGERLAND, D. W., *see* YAMAZAKI, E., 336, 1013, 1127
SMITH, L. L., *see* STEENBURG, R. W., 39
SMITH, R. W., JR., *see* MELLINGER, R. C., 931
SOBEL, C., *see* JACOBS, S. L., 305, 315
SOFFER, L. J.; FUTTERWEIT, W., and SALVANESCHI, J.: A gonadotropin-inhibiting substance in the urine of normal young children, 1267
——, *see* JACOBS, D. R., 909
——, *see* SAVARD, K., 165
——, *see* SOUTHREN, A. L., 675
SOLOMON, D. H., *see* HAYS, M. T., 1469, 1475
SOMMERS, S. C., *see* YIN, P.-H., 472
SOUTHREN, A. L.; SAITO, A.; LAUFER, A., and SOFFER, L. J.: Urinary hormone studies in untreated congenital adrenal hyperplasia during and after pregnancy, 675
——; WEISENFELD, S.; LAUFER, A., and GOLDNER, M. G.: Effect of o,p'DDD in a patient with Cushing's syndrome, 201
SPAFFORD, N. R., *see* PARKER, R. H., 792
SPURR, C. L., *see* FORD, R. V., 548
STAUB, M. C., and DINGMAN, J. F., with the technical assistance of FESLER, K. W.: Rapid method for determination of aldosterone in human urine by glass paper chromatography, 148
STEENBURG, R. W.; SMITH, L. L., and MOORE, F. D.: Conjugated 17-hydroxycorticosteroids in plasma: measurement and significance in relation to surgical trauma, 39
STELLMACHER, V., *see* ALBERT, A., 839, 806, 1260
STERLING, K., and TABACHNICK, M.: Resin uptake of $I^{131}$-triodothyronine as a test of thyroid function, 456
STRAUSS, J. S., and KLIGMAN, A. M.: Androgenic effects of a progestational compound, 17$\alpha$-ethynyl-19-nortestosterone (Norlutin), on the human sebaceous gland (Letter to the Editor), 215
STUDER, H.; VERAGUTH, P., and WYSS, F.: Thyrotoxicosis due to a solitary hepatic metastasis of thyroid carcinoma (Letter to the Editor), 1334
SWEELEY, C. C., *see* WILLIAMS, C. M., 1500

TABACHNICK, M., *see* STERLING, K., 456
TAIT, J. F., *see* UNDERWOOD, R. H., 1092
TAIT, S. A. S., *see* UNDERWOOD, R. H., 1092
TAKAKI, F., *see* ACEVEDO, H. F., 1611
TAUXE, W. N., *see* PARIS, J., 1037
TAYMOR, M. L.: Excretion of follicle stimulating hormone and interstitial-cell stimulating hormone in different phases of the normal menstrual cycle, 976
THOMAS, I. D., *see* MYHILL, J., 817
THORN, G. W., *see* GOLDFIEN, A., 281, 296
——, *see* LEE, J. B., 1426
——, *see* MARTIN, M. M., 923
TIPPIT, D. F., *see* WAXMAN, S. H., 943
TIWARI, R., *see* SHAH, P. N., 727
TORACK, R. M., *see* GERMAN, E., 91
TOUCHSTONE, J. C., and BLAKEMORE, W. S.: Urinary 6$\beta$-hydroxycortisol in adrenocortical hyperfunction, 263
TROEN, P.: Perfusion studies of the human placenta. II. Metabolism of $C^{14}$-17$\beta$-estradiol with and without added human chorionic gonadotropin, 895
——: Perfusion studies of the human placenta. III. Production of free and conjugated Porter-Silber chromogens, 1511
TYLER, F. H., *see* NUGENT, C. A., 1105

ULSTROM, R. A.; COLLE, E.; REYNOLDS, J. W., and BURLEY, J.: Adrenocortical steroid metabolism in newborn infants. IV. Plasma concentrations of cortisol in the early neonatal period, 414
UNDERWOOD, R. H.; FLOOD, C. A.; TAIT, S. A. S., and TAIT, J. F.: A comparison of methods for the acid hydrolysis of a urinary conjugate of aldosterone, 1092
UPTON, V., *see* COHN, G. L., 1328

VAN DEN SCHRIECK, H.-G., *see* DE VISSCHER, M., 175
——, *see* ERMANS, A. M., 996
VAN DER POLL, J., *see* JACOBS, D. R., 909
VANDE WIELE, R., *see* GERMAN, E., 91

——, *see* ROBERTS, K. D., 1522
VERAGUTH, P., *see* STUDER, H., 1334
VERMEULEN, A.; SLAUNWHITE, W. R., JR., and SANDBERG, A. A.: Bilary and urinary metabolites of 4-$C^{14}$-17$\alpha$-hydroxyprogesterone in human subjects, 1534
VOIGT, K. D., *see* APOSTOLAKIS, M., 575
VOORHESS, M. L., and GARDNER, L. I.: Urinary excretion of norepinephrine, epinephrine and 3-methoxy-4-hydroxymandelic acid by children with neuroblastoma, 321

WALDSTEIN, S. S., *see* LEE, W. Y., 1402
WALFISH, P. F.; BRITTON, A.; MELVILLE, P. H., and EZRIN, C.: A diurnal pattern in the rate of disappearance of $I^{131}$-labeled *l*-thyroxine from the serum (Letter to the Editor), 582
WALKER, J. A., *see* ARNAUD, C. D., 833
WALMSLEY, C. F., *see* HAWKER, R. W., 985
WARREN, J. C., and SALHANICK, H. A.: Demonstration of 16$\alpha$-hydroxylase in the human ovary, 1376
——, and SALHANICK, H. A.: Steroid biosynthesis in the human ovary, 1218
WATERHOUSE, C., *see* JAENIKE, J. R., 231
WATLINGTON, C. O., *see* BIGLIERI, E. G., 361
WAXMAN, S. H.; TIPPIT, D. F., and KELLEY, V. C.: The independent estimation of 11-desoxycortisol and cortisol in a single plasma sample, 943
WAYNE, E. J., *see* BUCHANAN, W. W., 806
WEISENFELD, S., *see* SOUTHREN, A. L., 201
WELCH, *see* ROMANOFF, L. P., 1413
WELLBY, M. L.; GOOD, B. F., and HETZEL, B. S.: Further observations on the early metabolic effects of thyrotropic hormone (hog preparation) (Letter to the Editor), 1494
WERNER, S. C., *see* HAYS, M. T., 1475
WEST, C. D.; BROWN, H.; SIMONS, E. L.; CARTER, D. B.; KUMAGAI, L. F., and ENGLERT, E., JR.: Adrenocortical function and cortisol metabolism in old age, 1197
WHITNEY, J. E., and MASSEY, C. G.: Apparent insulin activity in fibrosarcoma associated with spontaneous hypoglycemia, 541
WILLIAMS, C. M., and SWEELEY, C. C.: A new method for the determination of urinary aromatic acids by gas chromatography (Letter to the Editor), 1500
WILLIAMS, W. C., JR.; ISLAND, D.; OLDFIELD, R. A. A., JR., and LIDDLE, G. W.: Blood corticotropin (ACTH) levels in Cushing's disease, 426
WILSON, H.; LIPSETT, M. B., and RYAN, D. W.: Urinary excretion of $\Delta^5$-pregnenetriol and other 3$\beta$-hydroxy-$\Delta^5$ steroids by subjects with and without endocrine disease, 1304
WILSON, L., *see* DOBYNS, B. M., 648
WISWELL, J. G.: Some effects of magnesium loading in patients with thyroid disorders, 31
WOOLNER, L. B., *see* PARIS, J., 1037
WRIGHT, A., *see* DOBYNS, B. M., 648
WYNN, J. O.: Components of the serum protein-bound iodine following administration of $I^{131}$-labeled hog thyroglobulin, 1572
WYSS, F., *see* STUDER, H., 1334

YAMAZAKI, E.; NOGUCHI, A.; SATO, S., and SLINGERLAND, D. W.: Thyrotropic activity in the serum of euthyroid, treated hyperthyroid and postoperative hypothyroid patients, 1127
——; NOGUCHI, A., and SLINGERLAND, D. W.: Effect of thyroidectomy on plasma butanol-extractable and protein-bound radioiodine levels and on the turnover of radiothyroxine, 336
——; NOGUCHI, A., and SLINGERLAND, D. W.: Thyrotropin in the serum of mother and fetus (Letter to the Editor), 1013
YIN, P.-H., and SOMMERS, S. C.: Some pathologic correlations of ovarian stromal hyperplasia, 472
YOKOTA, T., *see* IBAYASHI, H., 140
YOSHIDA, S., *see* IBAYASHI, H., 140

ZIBELI, S., *see* GOLDFIEN, A., 281, 296
ZUMOFF, B., *see* FUKUSHIMA, D. K., 765
——, *see* HELLMAN, L., 1231

# Subject Index to Volume 21*


ABNORMALITIES, genetic: *see also* Congenital; Familial
—— abnormal circulating iodoproteins: *see* Iodine
ABORTION: *see* Pregnancy
ACETOXYPROGESTERONE: *see* Progesterone
ACID HYDROLYSIS: *see* Methods
ACNE: *see* Skin
ACROMEGALY: *see* Pituitary disorders
ACTH (adrenocorticotropin): *see* Pituitary preps. & comps.
ADDISON'S DISEASE: *see* Adrenal disorders
ADENOHYPOPHYSIS: *see* Pituitary
ADRENAL
DISORDERS
—— Addison's disease; blood ACTH in, 426
—— Addison's disease; effect of ACTH, SU-4885 and pyrogen on plasma 17-OH-CS, 433
—— Addison's disease; 17-KS fractions excreted by man with, 506
—— Addison's disease or CAH; excretion of DHA and P chromogens, 1321
—— Addison's disease, urinary ACTH in, 140
—— adenoma in virilized woman; plasma testosterone; urinary 17-KS, 98
—— adenoma, virilizing; 17$\alpha$-OH-pregnenolone as a precursor of urinary steroids in, 1522
—— adrenal carcinoma; effect of amphenone on pregnenetriol excretion, 1304
—— adrenal insufficiency; *ACTH* test; excretion of Pettenkofer chromogens (DHA), 955
—— adrenal insufficiency, catecholamines of blood in, 281
—— adrenal insufficiency; value of tolbutamide test in, 371
—— adrenalect'd castrated woman; conversion of 4-$C^{14}$-cortisone acetate to phenolic estrogens in, 624
—— adrenalect'd dogs (hydrocortisone-treated); effect of surgical trauma on plasma free and conj. 17-OH-CS, 39
—— adrenocortical hyperfunction, excretion of 6$\beta$-OH-cortisol in, 263
—— adrenogenital syndrome; excretion of pregnanediol and triol, 17-OH-CS and 17-KS: effect of ACTH, 923
—— adrenogenital syndrome in a male infant with hypospadias, 1087
—— aldosteronism, primary; effect of HGH on Na and K excretion, 361
—— bilat. adrenalect'd oophorect'd women; effect of 17-OH-progesterone on Na and K balance, 909

ADRENAL (*cont'd.*)
DISORDERS (*cont'd.*)
—— bilat. adrenalectomy for Cushing's disease; blood ACTH, 426
—— CAH (congenital adrenal hyperplasia); effect of glucocorticoids on excretion of 17-KS and gonadotropin, 931
—— CAH; relation of 17$\alpha$-OH-progesterone to, as a salt-losing steroid, 909
—— CAH (salt-losing); bilat. steroid-secreting testicular tumors complicating, 518
—— CAH; testicular tumors complicating; biosynthesis of steroids by, 663
—— CAH, untreated; hormone studies during and after pregnancy, 675
—— CAH, untreated; metab. of 17-OH-progesterone in, 765
—— CAH; unusual steroid pattern; deficiency of 3$\beta$-OH-dehydrogenase, 860
—— Cushing's syndrome: *see also* Cushing's syndrome
—— pheochromocytoma; effect of histamine on plasma catecholamines as a diagnostic test, 281
—— pheochromocytoma; excretion of catecholamines and 3-methoxy-4-hydroxymandelic acid in, 315
PHYSIOLOGY & PATHOLOGY
—— (ACTH) adrenocorticotropic hormone: *see* Pituitary preps. & comps.
—— adrenal homogenates; quant. extraction of steroids from, 62
—— adrenal medullary response to hypoglycemia, 281, 296
—— adrenal tissue; failure of transmethylation of 2-OH-estrogens by, 211
—— andrenocortical function and cortisol metabolism in old age, 1197
—— adrenocortical function as reflected by blood levels of corticoids, 1146
—— adrenocortical function; effect of o,p'DDD on, 201
—— adrenocortical function in male pseudohermaphrodism, 506
—— adrenocortical function; single-compartment disposal of plasma 17-OH-CS not valid criterion, 1106
—— adrenocortical response to stress: *see also* Adrenal preps. & comps.
—— biosynthesis and metabolism of norepinephrine and epinephrine, 321
—— extra-adrenal influence of ACTH on cortisol metab., 106
—— pituitary-adrenal interrelationship in CNS diseases, 1023
—— pituitary-adrenal responsiveness, 433


* The page number refers to the initial page of the article containing the listed item.

ADRENAL (*cont'd.*)
PREPARATIONS & COMPOUNDS
—— aldosterone antagonist; possible action of chloro-dehydro-acetoxy-progesterone as, 1364
—— aldosterone excretion; effect of HGH and subfractions on, 361
—— aldosterone-$H^3$ and cortisol-4-$C^{14}$; binding by plasma from pregnant or estrogen-treated subjects; effect of temperature, 53
—— aldosterone-7-$H^3$, urinary conjugate of; comparison of methods for acid hydrolysis, 1092
—— aldosterone, 17-OH-CS and 17-KS excretion in successful pregnancy after *hypophyectomy*, 1139
—— aldosterone; rapid method for determination in urine by glass paper chromatography, 148
—— catecholamines and 3-methoxy-4-OH-mandelic acid in urine; normal excretion of, 315
—— catecholamines in urine; specificity of trihydroxyindole method for, 305
—— catecholamines; relation to thyroid hormone in myxedema, 1402
—— conversion *in vivo* of cortisol-4-$C^{14}$ to 6$\beta$-OH-cortisol-4-$C^{14}$ by cirrhotic liver, 1328
—— conversion of 4-$C^{14}$-cortisone acetate to 11-oxygenated estrogens, 624
—— corticosteroid and 17-KS excretion in male infant with hypospadias and adrenogen. syn., 1087
—— corticosteroid excretion during estrogen therapy in virilized women; effect of prednisone, 931
—— corticosteroid excretion in child with gigantism, 343
—— corticosteroids and 17-KS; effect of single inj. of HPFSH on in amenorrheic women, 1068
—— corticosteroids in blood and tissues; quant. extraction and partial purification of, 62
—— corticosteroid-treated patients; excretion of ACTH, 140
—— cortisol and corticosterone in blood; review of methods for det'n of, 1146
—— cortisol, infused; effect of estrogens and androgens on plasma clearance of; 17-OH-CS, 826
—— cortisol i.v. at various rates and times; disposal of plasma 17-OH-CS, 1106
—— cortisol metabolsim and adrenocort. function in old age, 1197
—— cortisol metabolism; extra-adrenal influence of ACTH on, 106
—— cortisol of plasma in neonates; also umbilical cord plasma, 414
—— cortisol removal rates and steroid excretion in euthyroidal hypermetabolism (leukemia), 1248
—— cortisol; secretion rate of in young and early men, 1413
—— cortisol versus progesterone groups of steroids; plasma, urinary, biliary and fecal distrib., 753

ADRENAL (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— cortisone and thyroid therapy in Sheehan's syn.; reappearance of menses and gonadotropins, 1007
—— cortolone (2$\alpha$ and 20$\beta$); excretion of in young and elderly men, 1413
—— dehydroisoandrosterone (DHA) as a urinary metabolite in a case of virilizing adrenal adenoma, 1522
—— dehydroisoandrosterone (DHA) of urine; simplified method for determination, 1321
—— 11-desoxycortisol and cortisol; independent estimation in a single plasma sample; early morning levels, 943
—— dexamethasone; steroid excretion in male pseudohermaphrodism during admin. of; effect of CG on, 506
—— *DOC*-induced sodium retention; cyclical pattern of renal excretion during adaptation to; muscular weakness, 1426
—— epinephrine and norepinephrine; estimation of in plasma, in various diseases, 281
—— epinephrine and norepinephrine in urine; effect of exercise on, 305
—— epinephrine and norepinephrine of plasma during insulin-induced hypoglycemia, 296
—— epinephrine and phenylephrine; effect on blepharoptosis of myxedema, 1402
—— epinephrine, norepinephrine, and 3-methoxy-4-OH-mandelic acid; excretion of in children with neuroblastoma, 321
—— epinephrine, norepinephrine: *see also* Adrenal preps. & comps., catecholamines, and 3-methoxy-4-hydroxymandelic acid
—— fluorohydrocortisone; effect on steroid excretion in case of bilat. testicular tumors+CAH, 518
—— hydrocortisone; portal *vs.* peripheral venous infusion in dog; effect on plasma 17-OH-CS, 39
—— hydrocortisone production and metabolism (4-$C^{14}$) influence of thyroid hormone on, 1231
—— 3$\beta$-hydroxy-$\Delta^5$ steroids (incl. pregnenetriol); excretion in endocrine disorders, 1304
—— 6$\beta$-hydroxycortisol and other polar corticoids; significance in human urine, 1290
—— 6$\beta$-hydroxycortisol, urinary, in adrenocortical hyperfunction, 263
—— 17$\alpha$-hydroxypregnenolone as a precursor of urinary steroids in virilizing adrenal adenoma, 1522
—— 17-ketosteroids: *see also* Steroids, 17-KS
—— 17-KGS and 17-KS response to SU-4885, dexamethasone, and pyrogen in some CNS diseases, 1023
—— metabolites of 17-OH-progesterone-4-$C^{14}$ in CAH, 765
—— metabolites of progesterone, *see also* Progesterone
—— 3-methoxy-4-OH-mandelic acid and catecholamines; excretion of in children

ADRENAL (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
with neuroblastoma, 321
—— 3-methoxy-4-OH-mandelic acid and catecholamines; excretion of in pheochromocytoma, 315
—— norepinephrine: *see* Adrenal preps. & comps., epinephrine
—— 17-OH-CS and ACTH of blood in Cushing's syn, 426
—— 17-OH-CS and 17-KS excretion; effect of oophorectomy on in early pregnancy, 1119
—— 17-OH-CS and 17-KS excretion; effect of o,p'DDD on in Cushing's syn., 201
—— 17-OH-CS and 17-KS in pituitary deficiency; effect of HPG admin. on, 575
—— 17-OH-CS and 17-KS excretion in pituitary dwarf treated with HGH, 721
—— 17-OH-CS and other steroids in case of male pseudohermaphrodism, 506
—— 17-OH-CS in urine in case of steroid-secreting testicular tumors + CAH; effect of orchiectomy, 518
—— 17-OH-CS, 17-KS and pregnanediol and triol excretion in adrenocort. disorders; effect of ACTH, 923
—— 17-OH-CS of plasma; abnormal diurnal pattern in pretectal and temporal lobe disease, 695
—— 17-OH-CS of plasma, free and conj., in relation to surgical trauma, 39
—— 17-OH-CS of plasma in Cushing's syn., during night and day; 17-KGS and 17-KS excretion, 684
—— 17-OH-CS of plasma in some CNS diseases; diurnal variations, 1023
—— 17-OH-CS of plasma; response to ACTH, SU-4885, and pyrogen, 433
—— 17-OH-CS of plasma; theory of exponential disposal from single compartment not valid, 1106
—— Pettenkofer chromogens in crude extracts not an index of DHA excretion, 1321
—— Pettenkofer chromogens (DHA+) 17-OH-CS and 17-KS excretion in endocrine disorders, 955
—— prednisone; effect on insulin-binding capacity of plasma in case of insulin resistance, 533
—— pregnanetriol: *see* Pregnanetriol; Steroids
—— pregnanetriolone: *see* Pregnanetriol; Steroids
—— pregnenetriol: *see* Pregnenetriol; Steroids
—— pregnenolone: *see* Pregnenolone; Steroids
—— P-S chromogens produced by placenta, 1511
—— radioactive 6α-methylprednisolone; disposition of, 753
—— steroid pattern, unusual, in infants with CAH; effect of hydrocortisone, 860
—— steroids in urine and bile after admin. of 17α-OH-progesterone, 1534
—— steroids, various, in case of CAH with spont. abortion, 675
—— Steroids: *see also* Steroids
ADRENAL (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— tetrahydrocortisol, allotetrahydrocortisol, tetrahydrocortisone, cortolone; excretion of in young and elderly men, 1413
—— triamcinolone; effect on plasma 17-OH-CS and urinary steroids in Cushing's syn., 684
ADRENALINE: *see* Adrenal prep. & comp., epinephrine
ADRENOCORTICOTROPIN (ACTH): *see* Pituitary preps. & comps., ACTH
ADRENOGENITAL SYNDROME: *see* Adrenal disorders
AFRICA (Uele region); endemic goiter in, 996
ADVENTURES in clinical research on bones and stones (Pres. address), 1254
AGE: *see also* Children; Pregnancy, fetus
—— effect of body hair growth in women, 1440
—— effect on ovarian biosynthesis (81-year-old woman), 1218
—— in relation to ovarian stromal hyperplasia, 472
—— newborn infants: *see* Children; Pregnancy
—— old and young men; adrenocort. function and cortisol metab. in; renal, hepatic and thyroid function, 1197
—— postmenopausal women: *see* Menstruation; Ovary
—— related to histologic type of thyroid cancer, 1596
—— young and elderly men; metabolism of cortisol-4-$C^{14}$ in, 1413
—— young men: *see also* Testis; Sex
—— young women: *see also* Ovary; Sex
ALBUMIN: *see* Protein
ALDOSTERONE: *see* Adrenal preps. & comps.
ALDOSTERONISM: *see* Adrenal disorders
ALKALINITY: *see* Hydrogen ion conc.
ALLOTETRAHYDROCORTISOL: *see* Adrenal preps. & comps.
AMENORRHEA: *see* Menstruation; Ovary; Pregnancy
AMERICAN GOITER ASSOCIATION
—— change of name to American Thyroid Association, 1021
—— 1961 annual meeting, Philadelphia, 113, 227, 356, 488 (with program)
—— recipients of 1961 Van Meter Prize and Distinguished Service Award, 744
AMERICAN THYROID ASSOCIATION: *see also* American Goiter Association
—— the 1962 Annual Meeting, 1021
—— and Awards, 1343
AMINO ACIDS: *see* Nitrogen
AMMONIA, urinary; cyclical changes during adaptation to DOC-induced Na retention, 1426
AMPHENONE: *see also* SU-4885
—— effect on pregnenetriol excretion in adrenal ca., 1304
ANABOLIC: *see also* Protein
—— anabolic action of mestanolone in women with tuberculosis, 1099
—— growth hormone, human: *see* Pituitary preps. & comps.
—— steroids: *see* Steroids
ANDROGENS: *see also* Testis; Sex; Steroids
—— androgenicity of progestins tested by effect

ANDROGENS (*cont'd.*)
on prepuberal sebaceous glands, 215
—— androstenediol and DHA excretion in adrenal ca., 1304
—— androstenedione in Stein-Leventhal ovaries, 1218
—— androsterone and other 17-KS fractions in case of testicular tumors+CAH, 518
—— androsterone and other 17-KS steroids in male pseudohermaphrodism, 506
—— androsterone excretion after admin. of 17-OH-progesterone-4-$C^{14}$ in CAH, 765
—— androsterone intramuscularly; local and systemic reactions, 1208
—— androsterone, orally and i.m.; effect on serum lipids and uriaary 17-KS in men with heart disease, 1208
—— dehydroisoandrosterone and androsterone as a urinary metabolite in a case of virilizing adrenal adenoma, 1522
—— dehydroisoandrosterone (DHA): *see also* Adrenal preps. & comps.; Steroids
—— excretion in case of CAH with spont. abortion; effect of ACTH, 675
—— excretion in case of Leydig-cell tumor, 91
—— excretion in virilized women; effect of estrogen or glucocorticoid therapy, 931
—— *incubation of testicular tumor with; steroids synthesized*, 663
—— isoandrosterone in urine of men with heart disease; effect of androsterone therapy, 1208
—— mestanolone; protein anabolic action in women with tuberculosis, 1099
—— methyltestosterone; effect on clearance of *infused cortisol in men*, 826
—— methyltestosterone; effect on serum lipids in men with heart disease, 1208
—— role in sexual behavior of women, 482
—— testosterone and other androgens; formation of *in vitro* by arrhenoblastoma, 165
—— testosterone, DHA and androstenedione; conversion of pregnenolone-7$\alpha$-$H^3$ to, in the fetal testis, 1611
—— testosterone; effect on N balance and urinary Ca in acromegaly, 119
—— testosterone esters (CPP, ENT and HPP), long-acting; effect on urinary 17-KS, 271
—— testosterone in plasma in virilized women with adrenal adenoma, and with ovarian hilus-cell tumor, 98
—— testosterone; method for estimation of in plasma, 98
—— unusual steroid pattern in infants with CAH, 860
ANDROSTERONE: *see* Androgens; Adrenal preps. & comps.
ANDROSTENEDIONE: *see* Androgens
ANGINA: *see* Heart
ANION exchange resin: *see* Resin
ANNOUNCEMENTS: *see* Endocrine Society; and under Notices
ANNUAL MEETINGS: *see* Endocrine Society; and under Notices
ANOMALIES, congenital: *see* Children; Familial; and under various endocrine disorders
ANOREXIA NERVOSA: *see* Nutrition
ANTIBODIES
—— antigen-antibody tests showing sublabial absorption of gonadotropin, 579
—— antithyroid, in juvenile diabetes, 209
—— antithyroid, in pregnancy and newborn, 792
—— auto-immune thyroiditis; PBI levels in, 806
—— immunologic properties of urinary preps. of HM gonadotropins, especially Pergonal, 478
—— in study of abnormal iodoprotein in blood of some goitrous adults, 1390
—— insulin-binding antibodies correlated with *insulin requirements in 2 cases of insulin* resistance, 533
—— to TSH, hemagglutinating and neutralizing, 1475
ANTIDIURETIC HORMONE: *see* Pituitary preps. & comps.
ANTIHISTAMINE; inhibition of $I^{131}$ uptake by, 739
ANTIPERGONAL ANTIBODIES: *see* Antibodies
ANTITHYROID ANTIBODIES: *see* Antibodies; Thyroid
ANTITHYROID DRUGS: *see also* Iodine; Methimazole; Thiouracil; Thiourea; Thyroid disorders, treatment
—— Graves' disease treated with; effect of thyroidectomy on thyroxine turnover in, 336
—— inhibition of $I^{131}$ uptake by parabromdylamine maleate, 739
—— preoperative treatment of thyrotoxicosis with antithyroid drugs+thyroxine, 72
—— thiourea; failure of to prevent hormone synthesis after admin. of TSH, 157
—— thyro-inhibitory substances; difference in responses of euthyroid and hyperthyroid patients to, 1566
—— 1,1,3-tricyano-2-amino-1-propene (U-9189); antithyroid action of in rats and in thyrotoxic patients; toxicity; 128
AROMATIC ACIDS
—— 5-hydroxyindoleacetic acid excretion in case of carcinoid and eosinophilic pit-adenoma, 735
—— 5-hydroxyindoleacetic, hippuric, homovanillic, p-hydroxyphenylacetic and indoleacetic acids; new method for; values in carcinoid, 1500
ARRHENOBLASTOMA: *see* Ovary; Tumors
ARTERIES: *see* Vascular system; Heart
ARTERIOSCLEROSIS: *see* Vascular system
ASSAYS: *see* Methods
ASSEMBLIES: *see* Endocrine Society; and under Notices
ATHEROSCLEROTIC heart disease; *see* Heart
ATHF (allotetrahydrocortisol): *see* Adrenal preps. & comps.
AUTHOR INDEX to Volume 21, 1619
AUTOANTIBODIES: *see* Antibodies
AUTO-IMMUNE: *see* Antibodies
AWARDS: *see* Endocrine Society; and under Notices

BASAL METABOLISM: *see also* Thyroid: Iodine
—— and cortisol metabolism in old and young men, 1197

BASAL METABOLISM (*cont'd.*)
—— and electrical capacity of the skin in thyroid diseases, 1054
—— and serum cholesterol, dissociation in response to Triac in myxedma, 1044
—— early metabolic effects of hog TSH on in normal and myxedematous subjects, 1494
—— effect of iodine and thyroid preps. on, *see also* Iodine; Thyroid
—— effect of magnesium loading on, in thyroid disease, 31
—— effect of U-9189 on in thyrotoxicosis, 128
—— eumetabolic goitrous adults, abnormal iodoprotein in blood of, 1390
—— euthyroid hypermetabolism (in leukemia): effect on cortisol removal rates, 1248
—— in dystrophia myotonica; effect of thyroid therapy, 1592
—— in thyroid disorders, *see also* Thyroid
—— oxygen consumption and cholesterol level; effect of chlorine derivatives of thyronine on, 1579
BASOPHILS: *see* Pituitary, physiol. & path.
BEI (butanol-extractable iodine): *see* Iodine
BENZOIC-ACID ADSORPTION: *see* Methods
BII (butanol-insoluble iodine): *see* Iodine
BILE; BILIARY: *see* Liver and Gall Bladder
BILIRUBIN: *see* Liver and Gall Bladder
BINDING SYSTEMS: *see* Blood; Proteins; Thyroid preps. & comps.
BIO-ASSAYS: *see* Methods
BIOLOGIC CHARACTERIZATION of human gonadotropins, 839
2,2-BIS (2-CHLOROPHENYL-4-CHLOROPHENYL)-1,1-DICHLOROETHANE: *see* o,p'DDD
BLADDER
—— gall bladder: *see* Liver
—— urinary bladder: *see*: Urine; Kidney
BLEPHAROPTOSIS: *see* Eyes
BLOOD: *see also* under constituent or under disorder involved
—— abnormal iodoprotein: *see* Iodine; Protein
—— ACTH: *see* Pituitary preps. & comps. ACTH
—— adrenal steroids: *see* Adrenal, preps. & comps.
—— agammaglobulinemia; effect of HGH in case of, 119
—— amino acid nitrogen: *see* Nitrogen
—— androgen: *see* Androgens
—— antibodies: *see* Antibodies
—— autoantibodies: *see* Antibodies
—— butanol-extractable iodine (BEI): *see* Iodine
—— butanol-insoluble iodine (BII): *see* Iodine; Thyroid preps. & comps.
—— calcium, *see* Calcium
—— catecholamines; *see* Adrenal preps. & comps.
—— chloride: *see* Electrolytes; Sodium
—— cholesterol: *see* Cholesterol
—— clearances: *see* under substance involved
—— conjugated and free 17-OH-CS: *see* Adrenal, preps. & comps.
—— corticoids; corticosteroids; cortisol: *see also* Adrenal preps. & comps.
—— corticosteroid-binding globulin and estrogen-induced binding system of, 53
BLOOD (*cont'd.*)
—— disposal of 17-OH-CS; theory of single compartment not valid, 1106
—— distribution of cortisol between cells and plasma, 1146
—— diurnal pattern in rate of thyroxine$^{131}$ disappearance from, 582
—— electrolytes: *see* Electrolytes
—— enzymes: *see* Enzymes
—— epinephrine and norepinephrine, in various states, 281, 296
—— epinephrine and norepinephrine: *see also* Adrenal preps. & comps.
—— erythrocyte $I^{131}$-$T_3$ uptake in hyperthyroidism with low TBG, 1455
—— erythrocyte sed. rate in diagnosis of H. thyroiditis *vs.* nontoxic adenoma, 879
—— erythrocyte uptake of $I^{131}$-$T_3$; effect of diphenylhydantoin, 252
—— erythrocytes and plasma; clearance of radioactive metabolites from, 753
—— exophthalmos-producing substance in, *see* Eyes, exophthalmos
—— free and conjugated 17-OH-CS: *see* Adrenal preps. & comps.
—— glucose: *see* Carbohydrate metab.; Diabetes; Insulin
—— hepatic venous blood; 6β-hydroxycortisol content of after large doses of cortisol, 1328
—— hypercalcemia: *see* Calcium
—— hyponatremia, during prolonged admin. of vasopressin and water, 231
—— insulin: *see* Insulin
—— insulin-binding antibodies: *see* Antibodies; Insulin
—— iodine: *see* Iodine
—— iodotyrosines and iodothyronines: *see* Iodine; Thyroid preps. & comps.
—— 17-ketosteroids: *see* Steroids, 17-ketosteroids
—— leukemia; effect of chemotherapy on cortisol removal rate in, 1248
—— leukocytes: *see also* Sex, chromatin
—— leukocytes and bone marrow cells with duplicated sex chromatin, in Klinefelter subjects; XXXY chromosome complex, 491
—— lipids and lipoproteins: *see* Lipids; Proteins
—— methods for det'n of constituents: *see* Methods; Tests
—— mono- and diiodotyrosine: *see* Thyroid preps. & comps.
—— of spermatic vein; 17-OH-progesterone content in case of testicular tumor and CAH, 663
—— 17-OH-CS: *see* Adrenal preps. & comps.
—— osmolality: *see* Osmolality
—— oxytocic activity: *see* Pituitary preps. & comps.
—— PBI determined in presence of iodine contaminants, 1272
—— PBI: *see also* Iodine
—— phosphatase, acid or alk.: *see* Enzymes
—— phosphorus: *see* Phosphorus
—— plasma of umbilical cord: *see* Pregnancy
—— plasma patterns of adrenal hormones: *see* Adrenal preps. & comps.

BLOOD (*cont'd.*)
—— plasma patterns of thyroid hormones: *see* Thyroid preps. & comps.; Iodine
—— potassium: *see* Potassium; Electrolytes
—— pressure: *see* Vascular system
—— progestin in blood of newborn infants, 862
—— protein-bound iodine: *see* Iodine
—— proteins: *see* Protein: Nitrogen
—— quantitative extraction and partial purification of steroids in, 62
—— radioiodinated compounds: *see* Iodine, radioactive; Thyroid preps. & comps.
—— renal clearance: *see* Kidney
—— resin uptake of $T_4^{131}$ from serum, 1448
—— review of methods for det'n of cortisol and corticosterone, in, 1146
—— serum gonadotropin applied sublabially; absorption of, 579
—— serum; half-time of Tetrac, 1548
—— serum; half-time of Triac, 1548
—— serum; resin uptake of $I^{131}$-$T_3$ from as test of thyroid function, 456
—— single plasma sample; independent estimation of 11-desoxycortisol and cortisol in, 943
—— smears for det'n of genetic sex: *see* Sex, chromatin
—— spermatic vein blood; steroid content in case of CAH with bilat. testicular tumors, 518
—— steroids; *see* Adrenal preps. & comps.; Steroids
—— sugar: *see* Carbohydrate metab.; Diabetes; Insulin
—— testosterone; method for estimation of, 98
—— thiocyanate level correlated with thyroinhibitory effect, 1566
—— thyroglobulin: *see* Thyroid preps. & comps.
—— thyroid activator: *see* Thyroid preps. & comps.
—— thyroid antibodies: *see* Antibodies
—— thyroid substances: *see* Thyroid preps. & comps.
—— thyrotropin (TSH): *see* Pituitary preps. & comps., TSH
—— thyroxine: *see* Thyroid preps. & comps.; Iodine
—— thyroxine-binding protein (TBP or TBG): *see* Thyroid preps. & comps.
—— triiodothyronine and other iodinated substances: *see* Thyroid preps. & comps.
—— TSH; daily variation, 1127
—— TSH of plasma; fractionation, 1280
—— TSH: *see also* Pituitary preps. & comps.
—— unesterified fatty acid; effect of HGH on in dwarfism and acromegaly, 119
—— xylulose of serum in normal and pentosuric subjects, 887
BLOOD PRESSURE: *see* Vascular system
BONE: *see also* Calcium; Parathyroids
—— bones and stones; adventures in clinical research (Pres. address), 1254
—— bones of a child with gigantism, 343
—— lesions in hyperparathyroidism, before and after removal of infarcted adenoma, 196
—— bone marrow cells: *see* Blood
BONE (*cont'd.*)
—— maturation in pit. dwarf treated with human growth hormone, 721
—— osteoporosis, postmenopausal; hypercalcemia due to vit. D therapy in, 101
—— Paget's disease, osteoporosis and hypopara'm studied with $Ca^{45}$ and $Sr^{85}$, 611
—— skeletal function studied by continuous infusion of $Ca^{45}$ and $Sr^{85}$, 611
BOOK REGISTER, 116, 230, 359, 749, 1192
BOVINE: *see* Species
BRAIN: *see also* Mental; Nervous system; Stress
—— cerebral disease with seizures treated with diphenylhydantoin; effect on PBI, 252
—— CNS disorders; disturbance of pituitary-adrenal interrelationships in, 1023
—— EEG in hyperparathyroidism, 196
—— EEG in hypoparathyroidism, 219
—— hypothalamus or temporal lobe disorders; 17-KGS response to SU-4885 and pyrogen; diurnal plasma 17-OH-CS, 1023
—— pretectal and temporal lobe disease; abnormal diurnal pattern of plasma 17-OH-CS in, 695
—— tranquilizers; lactation induced by in uremia, 1489
BREAST: *see also* Ovary
—— abnormal development of; conditions assoc'd with, 80
—— gynecomastia: *see also* Testis
—— intermittent precocious development of, assoc'd with bronchitis, 80
—— lactating women; oxytocic activity of blood, 985
—— lactation after successful pregnancy foll'g hypophysectomy in 12th week, 1139
—— lactation, drug-induced, in uremia, 1489
—— oxytocin: *see* Pituitary preps. & comps.
BRONCHI; BRONCHITIS: *see* Lungs and Bronchi
BSP retention: *see* Liver and Gall Bladder, tests
BUCCAL smears, for estimation of sex chromatin: *see* Sex
BUTANOL-EXTRACTABLE IODINE (BEI): *see* Iodine; Thyroid preps. & comps.
BUTANOL-INSOLUBLE IODINE (BII): *see* Iodine; Thyroid preps. & comps.

$C^{14}$: *see* Radioactive
CAH (congenital adrenal hyperplasia): *see* Adrenal disorders
CALCIUM: *see also* Bone; Parathyroids
—— bones and stones, 1254
—— calcium$^{45}$; continuous infusion of in study of skeletal function, 611
—— excretion following magnesium loading, 31
—— hypercalcemia as complication of vit. D therapy in postmenop. osteoporosis, 101
—— hypocalcemic tetany after infarct of adenoma in hyperparathyroidism, 196
—— metabolism in dwarfism and acromegaly after admin. of HGH (or androgen), 119
—— metabolism in hypoparathyroidism responsive to $MgSO_4$ after resistance to other medications, 219
—— of serum and urine; effect of removal of neck cyst in a case of hyperparathy'm, 833
CANCER: *see also* under organ involved
—— arrhenoblastoma: *see* Ovary

CANCER (*cont'd.*)
—— carcinoid, metastatic; urinary aromatic acids in a case of, 1500
—— carcinoid of recto-sigmoid assoc'd with esosinophilic adenoma of pituitary, 735
—— chemotherapy (3 agents); effect on cortisol removal rate in leukemia, 1248
—— fibrosarcoma assoc'd with spont. hypoglycemia; insulin activity in, 541
—— neuroblastoma; excretion of catecholamines and 3-methoxy-4-OH-mandelic acid in children with, 321
—— of adrenals: *see also* Adrenal disorders; Cushing's syn.
—— of the thyroid; statistical study of 390 patients; 40-year period, 1596
—— of the thyroid, *see also* Thyroid disorders
—— patients bilat. adrenalectomized for: *see* Adrenal disorders
—— patients hypophysectomized for: *see* Pituitary disorders
CARBOHYDRATE METABOLISM: *see also* Diabetes; Insulin; Pancreas
—— blood sugar and insulin levels; effect of leucine on in case of pancreatic adenoma, 1498
—— glucagon-free insulin tolerance test, rapid, 401
—— glucose and amino acids of blood; effect of progesterone on, 1355
—— glucose tolerance in Cushing's syn.; effect of o,p'DDD on, 201
—— glucose tolerance in gigantism, 343
—— glucose tolerance in pit. dwarf treated with human growth hormone, 721
—— glucose uptake inhibitor in fibrosarcome assoc'd with spont. hypoglycemia, 541
—— glucose utilization and response to insulin; new method for assessing, 387
—— hypoglycemia, idiopathic, and dwarfism; effect of HGH in, 119
—— hypoglycemia, insulin-induced; effect on plasma catecholamines, 281, 296
—— hypoglycemia of islet-cell tumor; effects of leucine and glycine before and after op., 401
—— hypoglycemic states; diagnostic value of Na tolbutamide, 371
—— influence of thyroid function on, 387
—— pentose metabolism in normal and pentosuric subjects; effect of glucuronolactone, 887
CARCINOID: *see* Cancer
CARCINOMA: *see* Cancer; and under organ involved
CARDIOVASCULAR: *see* Heart; Vascular system
CASTRATION: *see* Ovary; Testis
CATABOLIC influence of progesterone; effect of dietary protein on, 1345
CATECHOLAMINES: *see* Adrenal preps. & comps., epinephrine, norepinephrine
CELLS: *see also* Nuclei; and under various endocrine glands
—— basophils of hypophysis; two types, 732
—— determination of sex by nuclear chromatin pattern: *see* Sex
—— interstitial: *see* Testis
—— interstitial-cell stimulating hormone (ICSH): *see* Pituitary preps. & comps.
—— karyotypic analysis: *see* Nuclei; Sex
CELLS (*cont'd.*)
—— leukocytes; nuclear characteristics in relation to sex: *see* Sex
—— nuclear changes: *see also* Nuclei
—— of pituitary gland: *see also* Pituitary physiol. & path.
—— of skin, buccal mucosa and bone marrow; sex chromatin pattern: *see* Sex
CENTRAL NERVOUS SYSTEM: *see* Brain; Nervous System
CEREBRAL DISEASE: *see* Brain
CERTIFICATE OF MERIT: *see* Endocrine Society
CHEMOTHERAPY: *see* Cancer
CHILDREN: *see also* Age; Familial; Growth; Pregnancy, fetus; and under various endocrine disorders
—— boy with adrenal ca. excretion of pregnenetriol and DHA, 1304
—— boy with bilat. steroid-secreting testicular tumors complicating congen. ad. hyperplasia (salt-losing), 518
—— catecholamines and metabolites; excretion of in neuroblastoma, 321
—— congenital adrenal hyperplasia: *see also* Adrenal disorders
—— congenital goitrous cretinism: *see* Thyroid disorders, hypothyroidism
—— cretinism and juvenile hypothyroidism: *see also* Thyroid disorders, hyperthyroidism
—— dwarfism: *see* Dwarfism
—— fetal testis; steroidogenesis in, 1611
—— fetus, aborted; blood iodine in fetus and mother, 779
—— fetus: *see also* Pregnancy
—— gigantism in 5-year-old girl, observed over 11-year period, 343
—— girl with intermittent precocious breast development assoc'd with episodes of bronchitis, 80
—— girl with pancreatic adenoma; effect of leucine on plasma insulin, 1498
—— growth hormone: *see* Pituitary preps. & comps.
—— infant, male, with hypospadias and adrenogen. syn., 1087
—— infants with CAH; unusual steroid pattern; enzyme deficiency, 860
—— juvenile diabetics *vs.* normal and hyperthyroid children; antithyroid antibodies in, 209
—— newborn infants; plasma cortisol in early neonatal period, 414
—— newborn infants; progestin in blood of, 862
—— newborn; thyroid antibodies in blood, 792
—— newborn; TSH in umbilical cord blood, 1013
—— normal, young; gonadotropin-inhibiting substance in urine, 1267
—— pituitary dwarfs: *see* Pituitary disorders
—— puberty, precocious: *see* Puberty; Ovary; Testis
CHLORIDE (SALT): *see* Electrolytes; Sodium
CHLORINE derivatives of thyronine; effect on serum and liver cholesterol and myocardium, 1579
6-CHLORO,6-DEHYDRO, 17α-ACETOXYPROGESTERONE (RS-1280): *see* Progesterone

CHOLESTEROL: *see also* Fat; Lipids
—— cholesterol-x-$H^2$; quant. extraction from tissues and blood, 62
—— of serum and BMR; dissociation in response to Triac in myxedema; possible hypercholesteremia therapy, 1044
—— cholesterol of serum; effect of androsterone orally versus i.m. in men with heart disease, 1208
—— of serum or liver, and myocardial stimulation; effect of chlorine derivatives of thyronine on, 1579
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy
CHROMATIN, nuclear: *see* Sex; Nuclei
CHROMATOGRAPHY: *see* Methods
CHROMOGENS (Pettenkofer and Porter-Silber): *see* Adrenal preps. & comps.; Steroids
CHROMOSOMES: *see* Sex; Nuclei
CIBA AWARD: *see* Endocrine Society, awards
CIRRHOSIS: *see* Liver
CLIMACTERIC: *see* Estrogens; Menstruation; Ovary;
COLLOQUIA: *see* Notices
COMPARTMENT, single; exponential disposal of plasma 17-OH-CS from not valid, 1106
CONFERENCE; CONGRESSES; CONVENTIONS: *see* Notices
CONGENITAL: *see also* Children; Familial; and under various endocrine disorders
—— adrenal hyperplasia: *see* Adrenal disorders
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— gonadal dysgenesis: *see* Ovary; Testis
—— hypothyroidism: *see* Thyroid disorders, hypothyroidism
CONGO, Republic of: endemic goiter in Uele region of, 175, 996
CONJUGATED STEROIDS: *see* Adrenal preps. & comps.; Estrogens; Steroids
CONTENTS of Vol. 21, page i (December issue)
CORONARY heart disease: see Heart
CORPUS LUTEUM: *see* Ovary
CORTICOIDS: CORTICOSTEROIDS: *see* Adrenal preps. & comps.; Steroids
CORTICOSTERONE: *see* Adrenal preps. & comps.
CORTICOTROPIN (ACTH): *see* Pituitary preps. & comps., ACTH
CORTISOL: *see* Adrenal preps. & comps.
CORTISONE: *see* Adrenal preps. & comps.
CORTOLONE: *see* Adrenal preps. & comps.
COURSES: *see* Endocrine Society (Postgrad. Assembly); and under Notices
CREATINE; CREATININE: *see* Nitrogen
CRETINISM: *see* Thyroid disorders, hypothyroidism
CUSHING'S SYNDROME: *see also* Adrenal disorders
—— ACTH of blood in patients bilat. adrenalect'd for, 426
—— ACTH; urinary assay of in differential diagnosis, 140
—— adrenocortical hyperfunction; excretion of 6β-OH-cortisol in, 263
—— effect of ACTH, SU-4885 and pyrogen on plasma 17-OH-CS in diff. diagnosis, 433
—— excretion of DHA, 17-OH-CS and 17-KS, 955
—— excretion of pregnanediol and triol, 17-OH-CS and 17-KS; effect of ACTH, 923
CUSHING'S SYNDROME (*cont'd.*)
—— 6β-hydroxycortisol excretion, 1290
—— nontumorous; treatment with o,p'DDD; decrease in adrenocort. function, 201
—— plasma 17-OH-CS, and urinary 17-KGS and 17-KS during night and day, 684
—— pregnenetriol and DHA excretion, 1304
—— with adrenal hyperplasia; 11-desoxycortisol and cortisol of plasma in SU-4885 test, 943
CYCLICAL: *see also* Diurnal; Menstruation
—— pattern of renal excretion during adaptation to DOC-induced Na retention, 1426
CYCLOPENTYL PROPIONATE (CPP): *see* Androgens, testosterone
CYSTIC lesion in neck; cure of hyperparathyroidism after removal, 833

DBI (phenformin); effect on insulin-binding capacity of plasma in case of insulin-resistant diabetes, 533
o,p'DDD; effect on adrenocortical function in Cushing's syn., 201
DEHYDRO(EPI OR ISO)ANDROSTERONE(DHA): *see* Adrenal preps. & comps.; Androgens
DEHYDROGENASE: *see* Enzymes
DE(S)OXYCORTICOSTEROIDS; DE(S)OXYCORTICOSTERONE; DE(S)OZYXCORTISOL: *see* Adrenal preps. & comps.
11-DESOXYCORTISOL: *see* Adrenal preps. & comps.
DESOXYRIBONUCLEIC ACID (DNA); in nuclei of rat thyroid cells; changes foll'g $I^{131}$ radiation, 699
DEXAMETHASONE: *see* Adrenal preps. & comps.
DIABETES INSIPIDUS: *see* Pituitary disorders
DIABETES MELLITUS: *see also* Carbohydrate metab.; Insulin; Pancreas
—— catecholamines of blood in, 281
—— glucose (sugar) tolerance tests: *see also* Carbohydrate metab.
—— insulin; *see also* Insulin
—— insulin-resistant diabetes; effect of DBI, 533
—— juvenile diabetics; antithyroid antibody in, 209
—— resistance to insulin; requirements correlated with insulin-binding antibodies, 533
—— tolbutamide test; value of, 371
DIALYSIS; effect on glucose-uptake in fractions of a fibrosarcoma, 541
DICHLORO(DIIODO)THYRONINE: *see* Thyroid preps. & comps.; Thyronine
DIET: *see also* Nutrition
—— dietary iodine; effect on goitrogenic response to propylthiouracil and U-9189, 128
—— dietary protein; effect on catabolic influence of progesterone, 1345
—— lack of I in food and water in Uele endemic goiter region, Rep. Congo, 175
DIIODOTHYRONINE: *see* Thyroid preps. & comps.
DIIODOTYROSINE: *see* Thyroid preps. & comps.
DIPHENYLHYDANTOIN; depression of serum PBI by; interference with thyroxine binding, 252
DISSOCIATION of response to Triac in myxedema, 1044
DIURETICS in the study of aldosterone antagonists, 1364

DIURNAL
—— early morning plasma levels of 11-desoxycortisol and cortisol, 943
—— excretion of sodium and water; changes in during adaptation to DOC-induced Na retention, 1426
—— morning and afternoon excretion of catecholamines, 305
—— 17-OH-CS after dexamethasone in normal subjects, 1106
—— pattern in rate of disappearance of $I^{131}$-$T_4$ from serum, 582
—— pattern of plasma 17-OH-CS abnormal in pretectal and temp. lobe dis., 695
—— variation in 17-OH-CS in some CNS diseases, 1023
—— variation in plasma 17-OH-CS lacking in Cushing's syn., 684
—— various times of day; plasma corticosteroid levels, 1146
DOSE-RESPONSE characteristics of purified bovine TSH, 1469
DRUG-INDUCED lactation in uremia, 1489
DRUMSTICKS: *see* Nuclei; Sex
DWARFISM: *see also* Growth; and under various endocrine disorders
—— associated with endemic goiter, Uele region, Rep. Congo, 175
—— cretinism: *see* Thyroid disorders, hypothyroidism
—— dwarfism and acromegaly; metabolic studies with human growth hormone, 119
—— gonadal dysgenesis; *see* Ovary; Testis
—— pituitary dwarf; long-term effects of HGH (Li) in, 721
—— pituitary dwarfism: *see also* Pituitary disorders
DYSGENESIS, gonadal: *see* Sex; Ovary; Testis
DYSTROPHIA MYOTONICA: *see* Muscle

EDITOR, Letters to: *see* Letters to the Editor
ELDERLY: *see* Age
ELECTRICAL CAPACITY of the skin in thyroid diseases; correl. with BMR and $I^{131}$ uptake, 1054
ELECTROCARDIOGRAM (ECG): *see* Heart
ELECTROENCEPHALOGRAM (EEG): *see* Brain
ELECTROLYTES: *see also* Calcium; Magnesium; Potassium; Sodium
—— electrolyte and ECG disturbance in infant with adrenogen. syn. and hypospadias, 1087
—— electrolyte metabolism; effect of sustained admin. of vasopressin and water on, 231
ELECTROPHORESIS: *see* Protein; Methods
EMOTION: *see* Mental
ENANTHANATE (ENT): *see* Androgens, testosterone
ENDEMIC GOITER: *see* Thyroid disorders
ENDOCRINE SOCIETY
ANNUAL MEETINGS
*Forty-third, New York, N. Y., June 22–24, 1961*
—— announcements of, 110, 224, 354, 485, 591, 741
—— program, 591
*Forty-Fourth, Chicago, Ill., June 21–23, 1962*
—— announcements of, 1015, 1189, 1339, 1505, 1614

ENDOCRINE SOCIETY (*cont'd.*)
AWARDS (Fred Conrad Koch Award; Ciba Award; Ayerst Fellowship; Squibb Fellowship; Upjohn Scholar and Awards)
*For 1961*
—— announcements of, 111, 225, 354, 485, 599, 742
—— recipients of, 869
*For 1962*
—— announcements of, 875, 1015, 1189, 1341, 1507, 1616
CERTIFICATE OF MERIT, presented to Henry H. Turner, 874
FELLOWSHIPS: *see* Endocrine Society, awards
FRED CONRAD KOCH AWARD: *see* Endocrine Society, awards
JOURNAL OF CLINICAL ENDOCRINOLOGY AND METABOLISM: *see* Journal
OFFICERS, COUNCIL, PUBLICATION AND FINANCE COMMITTEE, EDITORIAL BOARD AND EDITORS
—— *For 1960–61: see* general information pages, front advertising section, Jan.–July issues
—— *For 1961–62: see Ibid.*, Aug.–Dec. issues
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY AND METABOLISM (Thirteenth), Bethesda Md., Oct. 2–6, 1961; co-sponsor, The National Institutes of Health
—— announcements of, 487, 601, 744, 877, 1017 (with program), 1191
PRESIDENTIAL ADDRESS, 1254
SCHOLAR: *see* Endocrine Society, awards
ENDOCRINES; ENDOCRINOLOGY: *see also* Androgens; Estrogens; Gonadotropins; Insulin; Progesterone; Steroids; and under various endocrine glands
—— endocrine disease; excretion of $\Delta^5$-pregnenetriol in, 1304
—— Endocrine Society: *see* Endocrine Society
ENDOMETRIUM: *see* Menstruation; Uterus
ENZYMES
—— aldolase, LDH and transaminase of serum in dystrophia myotonica, 1592
—— deiodination: *see also* Iodine; Thyroid preps. & comps.
—— enzymatic activity in testicular tumors complicating CAH, 663
—— enzymic methylation of hydroxyestradiol to methoxyestradiol by human liver, 1331
—— $\beta$-glucuronidase-released conj. P-S chromogens; inhibition by 1,4-saccharolactone, 1511
—— 3$\beta$-hydroxy dehydrogenase; deficiency of in CAH, 860
—— 16$\alpha$-hydroxylase in human ovary, 1376
—— xylitol dehydrogenases in normal and pentosuric subjects, 887
EOSINOPHILIC ADENOMA: *see* Pituitary disorders
EPINEPHRINE: *see* Adrenal preps. & comps.
EPIESTRIOL: *see* Estrogens
ERYTHROCYTES: *see* Blood
ESTRADIOL; ESTRIN; ESTRIOL; ESTRONE: *see* Estrogens
ESTROGENS: *see also* Menstruation; Ovary; Progesterone; Pregnancy; Sex; Steroids; Uterus
—— $C^{14}$-17$\beta$-estradiol, with or without HGC; metabolism to estrone, estriol, epiestriol and methoxyestrone, 895

ESTROGENS (*cont'd.*)
—— $C^{14}$-estrogens; quant. extraction of from tissues and blood, 62
—— enzymic methylation of hydroxyestradiol to methoxyestradiol by human liver, 1331
—— estrogen excretion and vag. smear in amenorrhea; effect of single inj. of human pit. FSH on, 1068
—— estrogens; enzymatic conversion of testosterone to, for estimation of t. in plasma, 98
—— estrogen-induced binding system of plasma; binding of cortisol and aldosterone by; effect of temperature, 53
—— estrogen-treated patients; $I^{131}$-$T_3$ resin uptake test in, 456
—— estrone, 17$\beta$-estradiol and estriol excretion after oophorectomy in early pregnancy, 1119
—— estrone; lack of influence on by gonadotropin inhibitor in urine of young children, 1267
—— ethinyl estradiol and Manvene; effect on PBI in men and women with atherosclerotic heart disease, 243
—— ethinyl estradiol, 17$\alpha$-ethyl-19-nortestosterone and methyltestosterone; effects in clearance of infused cortisol in men, 826
—— ethinyl estradiol or stilbestrol; effect on 17-KS excretion in hirsute women with menstrual disorders, 931
—— excretion in cases of Leydig-cell tumor, 91
—— excretion in successful pregnancy foll'g hypophysectomy, 1139
—— 2-hydroxyestrogens; transmethylation of by human tissue, 211
—— lack of formation of by arrhenoblastoma *in vitro*, 165
—— ovarian "estrogenic" stromal hyperplasia; pathologic correlations, 472
—— 11-oxygenated estrogens; conversion of 4-$C^{14}$-cortisone acetate to, 624
—— stilbestrol therapy; effect on gigantism in child, 343
—— urinary; hypersecretion of by 4-year-old girl, in assoc. with episodes of bronchitis, 80
—— urinary, in male pseudohermaphrodism, before and after orchiectomy, 506
ESTRONE: *see* Estrogens
ETHINYL ESTRADIOL: *see* Estrogens
17$\alpha$-ETHYL-19-NORTESTOSTERONE: *see* Progestins
17$\alpha$-ETHYNYL-19-NORTESTOSTERONE (Norlutin): *see* Steroids; Progestins
ETIOCHOLANOLONE: *see also* Steroids
—— as a metabolite of 17$\alpha$-OH-progesterone, 1534
—— as a urinary metabolite in a case of virilizing ad. adenoma, 1522
—— excretion after admin. of 17-OH-progesterone-4-$C^{14}$ in CAH, 765
—— excretion in case of CAH with spont. abortion; effect of ACTH, 675
—— excretion in case of testicular tumors +CAH, 518
—— excretion in infant with adrenogen. syn. and hypospadias, 1087
—— excretion in male pseudohermaphrodism; effect of CG, 506
—— excretion in men with heart disease
ETIOCHOLANOLONE (*cont'd.*)
treated with androsterone, 1208
—— excretion in virilized women; effect of estrogen or glucocorticoid therapy, 931
EUNUCHISM; EUNUCHOIDISM: *see* Testis disorders
EUTHYROIDAL HYPERMETABOLISM: *see* Basal metabolism; Leukemia
EXERCISE; effect on blood and urinary catecholamines, 281, 305
EXOPHTHLAMIC GOITER: *see* Thyroid disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eyes; Thyroid disorders, hyperthyroidism
EXOPHTHALMOS-PRODUCING SUBSTANCE (EPS): *see* Eyes; Thyroid disorders, hyperthyroidism
EYES
—— blepharotosis of myxedema; relation to sympathetic n. system, 1402
—— changes in during treat. of thyrotoxicosis with antithyroid drugs, 72
—— exophthalmos: *see also* Thyroid disorders, hyperthyroidism
—— exophthalmos; thyroid activator in serum of patients with, 635
—— exophthalmos-producing substance in serum of patients with progressive exoph., 648

FAMILIAL: *see also* Children
—— genetic defect as explanation of decreased TBG in 2 sisters with hyperthyroidism, 1455
—— goitrous cretinism; inheritance of defective organification of I in, 21
—— pentosuria occurring predominantly in Jewish families; metabolic factors in transmission, 887
—— periodic paralysis; sodium and K metabolism, 1079
FAT: *see also* Cholesterol; Lipids; Obesity
—— triglycerides of serum; effect of androsterone on, 1208
—— unesterified fatty acid (UFA); effect of HGH on in dwarfism and acromegaly, 119
FATTY ACID: *see* Fat
FECAL excretion: *see* Gastro-intest. tract
FELLOWSHIPS: *see* Endocrine Society, awards
FEMALE; FEMINIZATION: *see* Ovary; Sex
FERTILITY: *see* Ovary; Pregnancy; Testis
FETUS: *see* Children, newborn; Pregnancy
FIBROSARCOMA: *see* Tumors; Cancer
FINGERPRINT identification of gonadotropins, 1, 839, 1260
FLUOROCORTISOL; FLUOROHYDROCORTISONE: *see* Adrenal preps. & comps.
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins
FRED CONRAD KOCH AWARD: *see* Endocrine Society, awards
FSH: *see* Gonadotropins
FUNDULUS: *see* Species

GALACTORRHEA: *see* Breast
GALL BLADDER: *see* Liver and Gall bladder
GAMMA-GLOBULIN: *see* Protein
GANGLIONEUROBLASTOMA: *see* Nervous system; Tumors, blastoma

GASTRECTOMY: *see* Gastro-intestinal tract
GASTRO-INTESTINAL TRACT: *see also* Liver and Gall Bladder
—— anorexia nervosa; excretion of ACTH in, 140
—— anorexia nervosa: *see also* Nutrition
—— fecal excretion of radioactive progesterone *vs.* cortisol groups of steroids, 753
—— fecal N, K and P excretion in women treated with mestanolone, 1099
—— gastrectomy; effect on plasma free and conj. 17-OH-CS, 39
—— recto-sigmoid carcinoid assoc'd with eosinophilic adenoma of pituitary, 735
—— starvation: *see* Nutrition
GENETIC: *see* Familial; Nuclei; Ovary; Testis; Sex
GIGANTISM: *see* Pituitary disorders
GLOBULIN: *see* Protein
GLOMERULAR FILTRATION RATE: *see* Kidney
GLUCAGON: *see* Carbohydrate metabolism
GLUCOCORTICOIDS: *see* Adrenal preps. & comps.
GLUCOSE: *see* Carbohydrate metab.; Diabetes; Insulin
GLUCURONOLACTONE; effect on levels of L-xylulose, and pentose, 887
GLYCINE; effect on blood sugar in islet-cell tumor, 401
GLYCOSURIA: *see* Carbohydrate metab.; Diabetes
GOITER: *see* Thyroid disorders
GONADAL DYSGENESIS: *see* Ovary; Testis; Sex
GONADOTROPINS: *see also* Pituitary preps. & comps.; Pregnancy
—— and menstruation; reappearance after hormonal treatment of Sheehan's syn., 1007
—— chorionic; effect on steroid excretion during admin. of dexamethasone in male pseudohermaphrodism, 506
—— chorionic; effect on steroid excretion in case of bilat. testicular tumors+CAH, 518
—— excretion in male pseudohermaphrodism, 506
—— FSH and ICSH; excretion of in different phases of the menstrual cycle, 976
—— FSH excretion in pit. dwarf treated with human growth hormone, 721
—— gonadotropin-inhibiting substance in urine of normal young children, 1267
—— HCG; effect on metab. of estradiol by placenta, 895
—— HMG, urinary; immunologic properties of, 478
—— HPG from postmenop. urine; comparative activities, 603, 1260
—— HPG; method for purification of for clinical assays, 856
—— HPG, parenterally administered; absorption and excretion of; plasma and urine, 575
—— HPG; purification of from normal male urine, 1
—— human pituitary FSH (with or without HCG); effect of single injection on estrogen excretion and vag. smear in amenorrhea, 1068
—— in cases of Leydig-cell tumor, 91
—— in successful pregnancy foll'g hypophysectomy, 1139
—— Pergonal; immunologic properties of, 478
GONADOTROPINS (*cont'd.*)
—— sublabial serum gonadotropin; absorption of, 579
—— two HPG preps. from postmenopausal urine (Pergonal and HMG-J5); comparison, 1063
—— urinary, before and after orchiectomy, in case of CAH+bilat. testicular tumors, 518
—— urinary; hypersecretion of by 4-year-old girl, in assoc. with episodes of bronchitis, 80
—— urinary, in child with gigantism, 343
—— urinary, in women with sclerotic ovaries; effect of glucocorticoid therapy, 931
—— urinary, of men, postmenop. women and eunuchs; FSH and LH, 839
GONADS: *see* Ovary; Testis
GRANTS: *see* Endocrine Society (Awards); and under Notices
GRANULOMATOUS THYROIDITIS: *see* Thyroid disorders
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children; and under endocrine disorders involved
—— dwarfism: *see* Dwarfism
—— hormone: *see* Pituitary preps. & comps.
GYNECOMASTIA: *see* Breast

HAIR
—— body hair growth in women, 1448
—— hirsute virilized women; effect of estrogens on 17-KS excretion, 931
—— hirsute women; excretion of pregnanediol and triol, 17-OH-CS and 17-KS; effect of ACTH, 923
—— hirsutism; excretion of DHA and P. chromogens, 1321
—— hirsutism: *see also* Adrenal disorders; Cushing's syn.; Virilization
HASHIMOTO'S THYROIDITIS: *see* Thyroid disorders
HCG (human chorionic gonadotropin): *see* Gonadotropins
HEART: *see also* Vascular system
—— coronary heart disease; effect of androsterone orally and i.m. on serum lipids and urinary 17-KS, 1208
—— ECG and electrolyte disturbance in infant with adrenogen. syn. and hypospadias, 1087
—— ECG in case of familial periodic paralysis with hypokalemia, 1079
—— effort angina and coronary heart disease with hypercholesterolemia; effects of chlorothyronines; dangers, 1579
—— heart disease (angina) and hypercholesterolemia; advantages of Triac in treatment, 1044
—— heart disease, atherosclerotic; effect of 2 synthetic estrogens on PBI in men and women, 243
—— myocardial infarction in relation to ovarian stromal hyperplasia, 472
—— myocardial stimulation and serum cholesterol; effects of chlorine derivatives of thyronine on, 1579
HEAT; HEATING: *see* Temperature
HEREDITY: *see* Congenital; Familial

HERMAPHRODISM: *see* Adrenal disorders; Ovary; Testis; Sex
p-HEXOXYPHENYL PROPIONATE (HPP): *see* Androgens, testosterone
HGH (human growth hormone): *see* Pituitary preps. & comps.
HILUS-CELL TUMOR: *see* Ovary
HIPPURIC ACID: *see* Aromatic acids
HIRSUTISM: *see* Hair; Adrenal disorders; Cushing's syn.; Virilization
HISTAMINE; effect on plasma catecholamines as diagnostic test in pheochromocytoma, 281
HMG: *see* Gonadotropins
HOG: *see* Species
HOMOVANILLIC ACID: *see* Aromatic acids
HORMONES: *see* Adrenal preps. & comps.; Androgens; Estrogens; Gonadotropins; Insulin; Parathyroids; Pituitary preps. & comps.; Progesterone; Steroids; Thyroid preps. & comps.; and under various endocrine glands
HPG (human pituitary gonadotropin): *see* Gonadotropins
HUMAN
—— gonadotropin (HCG; HMG; HPG): *see* Gonadotropins
—— growth hormone: *see* Pituitary preps. & comps.
HYDROCORTISONE: *see* Adrenal preps. & comps.
HYDROGEN ION CONCENTRATION
—— alkali washes causing loss of polar steroids during assay, 1290
—— effect on assays of a urinary aldosterone conjugate, 1092
—— pH; effect on blood corticoid determinations, 1146
—— pH of buffer; effect on resin uptake of $T_4^{131}$ from serum, 1448
—— pH of urine; cyclical changes during adaptation to DOC-induced Na retention, 1426
HYDROLYSIS: *see also* Methods
—— effect on determination of catecholamines, 305
3β-HYDROXY DEHYDROGENASE: *see* Enzymes
17-HYDROXYCORTICOSTEROIDS: *see* Adrenal preps. & comps.
6β-HYDROXYCORTISOL: *see* Adrenal preps. & comps.
HYDROXYESTRADIOL: *see* Estrogens
5-HYDROXYINDOLEACETIC AND p-HYDROXYPHENYLACETIC ACID: *see* Aromatic acids
16α-HYDROXYLASE: *see* Enzymes
17α-HYDROXYPREGNENOLONE: *see* Adrenal preps. & comps.
HYDROXYPROGESTERONE: *see* Progesterone
HYPERALDOSTERONISM: *see* Adrenal disorders
HYPERGLYCEMIA: *see* Carbohydrate metab.; Diabetes
HYPERMETABOLISM: *see* Basal metabolism; Thyroid disorders
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid disorders, hyperthyroidism
HYPERTRICHOSIS: *see* Hair (hirsutism)
HYPOGENITALISM: *see* Ovary; Testis; Pituitary disorders
HYPOGLYCEMIA; HYPOGLYCEMIC STATES: *see* Carbohydrate metabolism; Diabetes; Insulin
HYPOGONADISM: *see* Ovary; Testis; Pituitary disorders
HYPOMETABOLISM: *see* Basal metabolism; Thyroid disorders
HYPOPARATHYROIDISM: *see* Parathyroids
HYPOPHYSECTOMY: *see* Pituitary
HYPOPHYSIS: *see* Pituitary
HYPOPITUITARISM: *see* Pituitary disorders
HYPOSPADIAS in male infant with the adrenogenital syndrome, 1087
HYPOTHALAMUS: *see* Brain
HYPOTHYROIDISM: *see* Thyroid disorders, hypothyroidism

ICSH (interstitial-cell stimulating hormone): *see* Gonadotropins; Pituitary preps. & comps.
IMMUNOLOGY: *see* Antibodies
INDEX to Volume 21
—— author, 1619
—— subject, 1627
INDIANS, Venezuelan; iodine excretion, 1009
INDOLEACETIC ACID: *see* Aromatic acids
INFANTS: *see* Children; Pregnancy, fetus
INFERTILITY: *see* Ovary; Testis; Sex
INHERITANCE: *see* Congenital; Familial
INSULIN: *see also* Carbohydrate metab.; Diabetes
—— hyperinsulinism; insuloma; value of tolbutamide test in; relation to release of insulin 371
—— insulin activity in a fibrosarcoma assoc'd with spont. hypoglycemia, 541
—— insulin-coma therapy; effect of hypoglycemia on plasma catecholamines, 296
—— islet-cell tumor; effects of leucine and glycine on hypoglycemia before and after op., 401
—— plasma level of; effect of leucine on in case of pancreatic adenoma, 1498
—— requirements correlated with conc. of insulin-binding antibody in 2 cases of insulin resistance, 533
—— response to; new method for assessing, 387
INSULIN-BINDING ANTIBODY: *see* Antibodies
INSULOMA: *see* Pancreas; Insulin
INTERNATIONAL meetings and symposia, *see* Notices
INTERSEX: *see* Sex; Ovary; Testis
INTERSTITIAL-CELL STIMULATING HORMONE (ICSH): *see* Gonadotropins
INTERSTITIAL-CELL (LEYDIG-CELL) TUMOR: *see* Ovary; Testis
INTESTINAL: *see* Gastro-intestinal tract
IODIDE; IODINATED: *see* Iodine
IODINE: *see also* Thyroid preps. & comps.
—— abnormal iodoprotein in blood in 2 cases of hyperthyroidism, 1455
—— abnormal iodoproteins in blood of eumetabolic goitrous adults, 1390
—— as contaminant; noninterference with resin $I^{131}$-$T_3$ uptake test, 456
—— binding and concentration of; action of U-9189 on, 128
—— defective organification; inheritance of in familial goitrous cretinism, 21
—— deficiency in endemic goiter of Uele region, 996
—— dietary; effect on goitrogenic response to U-9189 in rat, 128

IODINE (*cont'd.*)
—— excretion in group of Venezuelan Indians; iodine in drinking water, 1009
—— iodide of potassium as thyroid blocking agent in study of components of PBI, 1572
—— iodide, thyroidal and urinary; effect of TSH on, 554
—— iodides; effect on Hashimoto's thyroiditis, and on solitary toxic nodule; effect of TSH, 1037
—— iodinated compounds: *see also* Thyroid preps. & comps.
—— iodine combined with antithyroid drugs and thyroxine for preop. preparation in thyrotoxisis, 72
—— metabolism in endemic goiter (+cretinism), Uele region, Rep. Congo; lack of I in diet and water, 175
—— metabolism in Hashimoto's thyroiditis, 806
—— metabolism in slices of normal thyroid and exoph. goiter; effect of methimazole and thiocyanate, 849
—— metabolism in the primate; effect of pregnancy on, 779
—— PBI and BEI in $I^{131}$-$T_3$ resin uptake tests of thyroid function, 456
—— PBI and BEI (thyroxine) det'd in the presence of iodine contaminants in serum, 1272
—— PBI and $I^{131}$ uptake foll'g admin. of chlorine derivatives of thyronine, 1579
—— PBI and $I^{131}$ uptake in normal males; effect of vasopressin, oxytocin and TSH, 0000
—— PBI; components of foll'g admin. of $I^{131}$-labeled hog thyroglobulin; KI used as blocking agent, 1572
—— PBI; depression of by diphenylhydantoin, 252
—— PBI; effect of androsterone on, 1208
—— PBI; effect of ethinyl estradiol and Manvene on in men and women with ath. heart disease, 243
—— PBI; effect of hog TSH on in normal and myxedematous subjects, 1494
—— PBI; effect of Mg loading on in thyroid disease, 31
—— PBI effect of U-9189 on in thyrotoxicosis, 128
—— PBI in auto-immune thyroiditis, 806
—— PBI in blood of newborn with antithyroid antibodies, 792
—— PBI in case of Sheehan's syn. with recovery of function during hormonal therapy, 1007
—— PBI in leukemia, 1248
—— PBI in successful pregnancy foll'g hypophysectomy, 1139
—— PBI normal and TBG decreased in sisters with hyperthyroidism, 1455
—— PBI, thyroxine turnover and BMR in dystrophia myotonica, 1592
—— PBI-BEI difference in diagnosis of H. thyroiditis *vs.* nontoxic adenoma, 879
—— TSH-PBI test in various thyroid states, 465

IODINE (*cont'd.*)
RADIOACTIVE
—— $I^{131}$ after KI in H. thyroiditis and in solitary toxic nodule; effect of TSH, 1037
—— $I^{131}$ in study of antithyroid effect of U-9189 in rats, 128
—— $I^{131}$ in study of thyroid function in endemic goiter, Uele region, Rep. Congo, 175
—— $I^{131}$ in study of thyroid function in remission of myxedema foll'g admin. of TSH, 213
—— $I^{131}$ in study of thyroxine binding to pre-albumin, 104
—— in study of thyroxine synthesis after thiourea and TSH, 157
—— $I^{131}$ in study of TSH in serum, 1127
—— $I^{131}$ metabolism in familial goitrous cretinism; effect of KSCN, 21
—— $I^{131}$ radiation; nuclear changes in thyroid epithelium foll'g; effect of thiouracil, 699
—— $I^{131}$ uptake and BMR correlated with electrical capacity of skin in thyroid disease, 1054
—— $I^{131}$ uptake and $PBI^{131}$ in case of phenylketonuria, 865
—— $I^{131}$ uptake and $PBI^{131}$ in endemic goiter of Uele region, 996
—— $I^{131}$ uptake and $PBI^{131}$ in eumetabolic goitrous adults, 1390
—— $I^{131}$ uptake and $PBI^{131}$ in normal males; effect of vasopressin, oxytocin and TSH, 1543
—— $I^{131}$ uptake and PBI in old and young men, 1197
—— $I^{131}$ uptake and renal excretion in $T_3$ versus $T_4$ suppression tests, 189
—— $I^{131}$ uptake deficient in Klinefelter subjects with XXXY chromosome complex, 491
—— $I^{131}$ uptake; effect of pregnancy on in the primate; $I^{131}$ in blood of aborted fetus and mother, 779
—— $I^{131}$ uptake; effect of thiourea or thiocyanate on in euthyroidism versus hyperthyroidism, 1566
—— $I^{131}$ uptake in slices of normal thyroid and of exoph. goiter; effect of methimazole and thiocyanate, 849
—— $I^{131}$ uptake in thyroid and liver, and excretion, in case of thyrotoxicosis due to solitary hepatic metastasis of thyroid ca., 1334
—— $I^{131}$ uptake; inhibition by parabromdylamine maleate, 739
—— $I^{131}$ uptake, PBI and BEI in permanent myxedema foll'g thyroiditis, 1384
—— $I^{131}$ uptake, $PBI^{131}$ and BII in Hashimoto's thyroiditis, 806
—— $I^{131}$-labeled hog thyroglobulin; components of PBI foll'g admin. of, 1572
—— $I^{131}$-$T_3$; erythrocyte uptake of; effect of diphenylhydantoin, 252
—— $I^{131}$ uptake after oral and i.v. admin., in study of purified bovine TSH, 1469, 1475
—— $I^{132}$ uptake soon after $I^{131}$ therapy; prognostic value in hyperthyroidism, 1483

IODINE (*cont'd.*)
RADIOACTIVE (*cont'd.*)
—— iodide$^{131}$; excretion and thyroidal release of, in man and rat, 554
—— PBI$^{131}$, BEI$^{131}$ and turnover of radiothyroxine; effect of thyroidectomy on, 336
—— radioiodinated serum albumin; diurnal pattern in rate of disappearance from serum, 582
—— system of radioiodine therapy for toxic and nontoxic goiter, involving thyroidal radiosensitivity, 817
—— Tetrac$^{131}$ and Triac$^{131}$; peripheral metabolism in euthyroid and in bile-fistula subjects, 1548
IODOAMINOACIDS: *see* Iodine; Thyroid preps. & comps.
IODOTHYRONINES: *see* Thyroid preps. & comps; Iodine
IODOTYROSINES: *see* Thyroid preps. & comps; Iodine
IRRADIATION: *see* Radioactive; Roentgen rays
ISLET-CELL TUMOR: *see* Pancreas; Insulin
ISOANDROSTERONE: *see* Androgens

JAUNDICE: *see* Liver and Gall bladder, disorders
JOURNAL OF CLINICAL ENDOCRINOLOGY AND METABOLISM
—— acknowledgment, 877
—— announcement of changes of publisher, front page insert July–Dec. issues
—— contents of Vol. 21 (1961), page i, Dec.
—— Editorial Board, Editors, Publication-Committee: *see* editorial page, front secs tion, each issue
—— index, year 1961 (Vol. 21):
—— author, 1619
—— subject, 1627
—— Letters to the Editor: *see* Letters to the Editor
JUVENILE: *see* Children

KARYOTYPIC analyses: *see* Sex; Nuclei
17-KETOGENIC STEROIDS (17-KGS): *see* Adrenal preps. & comps.; Steroids
17-KETOSTEROIDS (17-KS): *see* Steroids, 17-ketosteroids; Adrenal preps. & comps.
KIDNEY: *see also* Urine
—— diuresis: *see also* Pituitary disorders (diabetes insip.) and preps. & comps. (antidiuretic hormone); Water
—— effect of RS-1280 and diuretics on, in cirrhosis with ascites, 1364
—— nephrosclerosis, arteriolar; correlation with ovarian stromal hyperplasia, 472
—— removed from rat after inj. of TSH: assay for TSH, 1280
—— renal clearance of L-xylulose by patients with pentosuria, 887
—— renal excretion; cyclical pattern during adaptation to DOC-induced Na retention, 1426
—— renal function in old and young men; cortisol metab., 1197
KIDNEY (*cont'd.*)
—— renal function in various thyroid states, and in glomerulonephritis, 548
—— renal response to sustained admin. of vasopressin and water, 231
—— stones, bones and concrete, 1254
—— tissue; transmethylation of 2-OH-estrogens by, 211
—— uremia; drug-induced lactation in, 1489
KLINEFELTER'S SYNDROME: *see* Testis; Sex
KOCH AWARD: *see* Endocrine Society awards

LABOR: *see* Pregnancy
LACTATION: *see* Breast
L.A.T.S.: *see* Long-acting thyroid stimulator
LAURENTIAN HORMONE CONFERENCE (program), 228
LEIOMYOMA: *see* Uterus; Tumors
LETTERS TO THE EDITOR, 98, 101, 104, 106, 209, 211, 213, 215, 219, 478, 482, 575, 579, 582, 586, 727, 732, 735, 738, 739, 856, 860, 862, 865, 1007, 1009, 1013, 1328, 1331, 1334, 1494, 1498, 1500, 1611
LEUCINE
—— effect on hypoglycemia of islet-cell tumor, before and after op., 401
—— effect on plasma insulin in girl with pancreatic adenoma, 1498
LEUKEMIA: *see* Blood
LEUKOCYTES: *see* Blood; Sex, chromatin
LEYDIG (INTERSTITIAL) CELLS: *see* Ovary; Testis
LH: *see* Gonadotropins
LI PREPARATION OF HGH: *see* Pituitary preps. & comps., growth hormone
LIPIDS: *see also* Cholesterol; Fat; Protein
—— lipopolysaccharide pyrogen; plasma 17-OH-CS response to, 433
—— lipoproteins: *see* Protein
—— of serum; androsterone orally and i.m. in men with heart disease, 1208
LIPOPOLYSACCHARIDE PYROGEN (Lipexal): plasma 17-OH-CS response to, 433
LIVER AND GALL BLADDER
—— bile-fistula patients; metabolism of Tetrac and Triac in, 1548
—— biliary and urinary metabolites of 4-C$^{14}$-17$\alpha$-OH-progesterone, 1534
—— biliary excretion of radioactive steroids (cortisol *vs.* progesterone groups), 753
—— cirrhosis with ascites; possible anti-aldosterone action of RS-1280 in, 1364
—— cirrhotic liver *in vivo;* conversion of cortisol to 6$\beta$-OH-cortisol by, 1328
—— cirrhotic patients; L-xylulose metabolism in, 887
—— function tests in H. thyroiditis *vs.* nontoxic adenoma, 879
—— function tests in leukemic patients; cortisol removal rates, 1248
—— hepatic disease; value of tolbutamide test in, 371
—— hepatic function in old and young men; cortisol metab., 1197
—— hepatic metastasis, solitary, from thyroid ca.; cause of thyrotoxicosis; liver scintigrams after Au$^{198}$ and I$^{131}$, 1334

LIVER AND GALL BLADDER (*cont'd.*)
—— homogenates; quant. extraction of steroids from, 62
—— liver and serum cholesterol; effect of chlorine derivatives of thyronine on, 1579
—— liver; role of in catabolism of cortisol; BSP tests, 826
—— liver tissue from male patients; enzymic methylation of hydroxyestradiol to methoxyestradiol by, 1331
—— portal *vs.* peripheral venous infusion of hydrocortisone in dog; effect on plasma 17-OH-CS, 39
—— tissue; failure of transmethylation of 2-OH-estrogens by, 211
—— utilization of amino acids; effect of progesterone on, 1345, 1355
LONG-ACTING THYROID STIMULATOR (L.A.T.S.) in thyrotoxicosis; dose-response compared with those of TSH, 799
LUNGS AND BRONCHI
—— bronchitis episodes assoc'd with intermittent breast development, 80
—— pulmonary tuberculosis; protein anabolic action of mestanalone, 1099
LUTEINIZING HORMONE (LH): *see* Gonadotropins
LYMPH NODE: metastases of thyroid carcinoma related to histologic type, 1596

MACAQUE: *see* Species
MAGNESIUM: *see also* Electrolytes; Sodium
—— loading; effect on BMR ($T_3$ test) and calcium in thyroid disorders, 31
—— sulfate therapy in hypoparathyroidism resistant to other medications, 219
MALE PSEUDOHERMAPHRODISM: *see* Testis; Sex
MALES: *see* Testis; Sex
MALNUTRITION: *see* Nutrition
MAMMARY GLAND: *see* Breast
MANVENE: *see* Estrogens
MASCULINIZATION: *see* Androgens; Virilization
MATERNAL: *see* Pregnancy
MEETINGS: *see* Endocrine Society; and under Notices
MEN: *see* Sex; Testis
MENOPAUSE: *see* Menstruation; Ovary
MENSTRUATION: *see also* Estrogens; Progesterone; Ovary; Uterus
—— amenorrheic women; effect of single injection of human pit. FSH on estrogen excretion and vag. smear, 1068
—— and gonadotropins; reappearance after hormonal treatment of Sheehan's syn., 1007
—— menstrual cycles, regular, in case of untreated CAH; pregnancy, 675
—— menstrual disorders, infertility and hirsutism; effect of estrogens on 17-KS excretion, 931
—— phases of normal menstrual cycle; FSH and ICSH excretion during, 976
—— postmenopausal women; comparison of 2 gonadotropin preps. from urine of, 1063
—— postmenopausal women; purification of urinary HPG, ration of FSH to LH, 1260
—— postmenopausal women; urinary gonadotropins of, 839
MENSTRUATION (*cont'd.*)
—— postmenopausal women; urinary HPG preps.; comparative activities, 603
MENTAL: *see also* Brain; Nervous system
—— emotion and intellect in a pit. dwarf; effect of HGH therapy, 721
—— mental deficiency assoc'd with endemic goiter, Uele region, Rep. Congo, 175
—— mental depression and parkinsonism improved after removal of neck cyst in a case of hyperparathy'm, 833
—— mental disease; diurnal pattern in rate of thyroxine$^{131}$ disappearance from serum, 582
—— mentally defective Klinefelter subjects with duplicated sex chromatin; XXXY sex chromosome complex in, 491
—— psychic and hormonal processes in sexual behavior, 482
—— schizophrenia treated by insulin coma; effect of hypoglycemia on plasma catecholamines, 296
MERCAPTOPURINE; effect on cortisol removal rate in leukemia, 1248
MESTANOLONE: *see* Androgens
METASTASIS: *see* Cancer; Tumors
METHIMAZOLE
—— as blocking agent in study of peripheral metabolism of Tetrac$^{131}$ and Triac$^{131}$, 1548
—— effect on binding of $I^{131}$ in slices of exoph. goiter, 849
—— effect on response of thyroidal iodide to TSH, 554
—— effect on TSH of serum in hyperthyroidism, 1127
—— Graves' disease treated with; effect of thyroidectomy on thyroxine turnover in, 336
—— varying concs. of Tapazole and U-9189; effect on organic iodination in sheep thyroid, 128
—— with iodine and thyroxine for preop. preparation in thyrotoxicosis, 72
METHODS: *see also* Tests
—— acid hydrolysis of a urinary conjugate of aldosterone; comparison of methods, 1092
—— comparison of 2 methods of prep. of HPG from postmenop. urine, 1063
—— determination of thyroxine in serum in the presence of some iodine contaminants, 1272
—— discriminant function for analysis of data on nuclear appendices in det'n of sex, 965
—— effects of heating and dialysis on glucose-uptake activity in fractions of a fibrosarcoma, 541
—— effect of temperature on corticosteroid binding, 53
—— exponential disposal of plasma 17-OH-CS from a single compartment, 1106
—— fingerprint identification of gonadotropins, 1, 839, 1260
—— for ACTH in urine; benzoic-acid adsorption, 140
—— for clinical assessment of body hair growth, 1440
—— for comparing activities of HPG preps., 603
—— for estimating exophthalmos in fish, 648

METHODS (*cont'd.*)
—— for fractionation of TSH from plasma and tissues, 1280
—— for isolation of 6β-OH-cortisol from urine, 263
—— for measuring electrical capacity of the skin in thyroid diseases, 1054
—— for Pettenkofer chromogens that includes DHA plus its 2 chief artifacts, 955
—— for purification of HPG from urine of normal men, 1
—— for simult. det'n of pregnanediol and pregnanetriol, 923
—— for staining basophil cells, 732
—— for testosterone in plasma; enzymatic conversion to estrogens, 98
—— hydrolysis; effect on det'n of urinary catecholamines, 305
—— independent estimation of 11-desoxycortisol and cortisol in a single plasma sample; comparison with N-S method, 943
—— measurement and significance of 6β-OH-cortisol and other polar corticoids in human urine, 1290
—— modified for epinephrine and norepinephrine in plasma, 281
—— modified for free and conj. 17-OH-CS in plasma, 39
—— modified for 3-methoxy-4-hydroxymandelic acid in urine, 315
—— new, for assessing response to insulin, and glucose utilization, 387
—— new (gas chromatography) for urinary aromatic acids, 1500
—— purification of HPG for clinical assays, 856
—— purification of HPG from postmenop. urine; comparison with male urine, 1260
—— qualitative, to demonstrate FSH and ICSH or LH in urinary gonadotropin, 1, 839, 976
—— quantitative extraction and partial purification of steroids in tissue and blood, 62
—— rapid for aldosterone in urine, by glass paper chromatography, 148
—— resin uptake of $I^{131}$-$T_3$ in det'n of thyroid function, 456
—— resin uptake of $T_4^{131}$ from serum, 1448
—— review of methods for det'n of cortisol and corticosterone in blood, 1146
—— simplified, for det'n of urinary DHA; comparison of other methods, 1321
—— trihydroxyindole method for urinary catecholamines; specificity of, 305
METHOTREXATE; effect on cortisol removal rate in leukemia, 1248
METHOXYESTRADIOL: *see* Estrogens
METHOXYESTRONE: *see* Estrogens
3-METHOXY-4-HYDROXYMANDELIC ACID: *see* Adrenal preps. & comps.
3-METHOXY-16α-METHYL-1,3,5(10)-ESTRATRIENE-16β,17β-DIOL (Manvene): *see* Estrogens
6α-METHYL-7α-ACETOXYPROGESTERONE: *see* Progesterone
6α-METHYLPREDNISOLONE: *see* Adrenal preps. & comps.
METHYLTESTOSTERONE: *see* Androgens
MHMA (3-methoxy-4-hydroxymandelic acid): *see* Adrenal preps. & comps.; Tests
MINERALOCORTICOIDS: *see* Adrenal disorders
MUSCLE
—— dystrophia myotonica; $T_4$ and $T_3$ turnover studies; PBI and BMR: response to thyroid therapy, 1592
—— muscles of the eye in myxedematons belpharoptosis, 1402
—— muscular weakness during DOC therapy, 1426
MYOCARDIUM: *see* Heart
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NATRIURESIS: *see* Sodium
NECK cyst; cure of hyperparathyroidism after removal, 833
NEONATES: *see* Children; Pregnancy, fetus
NEOPLASMS: *see* Cancer; Tumors; and under organ involved
NEPHROSCLEROSIS: *see* Kidney
NERVOUS SYSTEM: *see also* Brain; Mental
—— anorexia nervosa: *see* Nutrition
—— central nervous system disorders: *see also* Brain
—— neuroblastoma and ganglioneuroblastoma in children; excretion of catecholamines and 3-methoxy-4-OH-mandelic acid in, 321
—— paralysis, familial periodic; sodium and K metab., 1079
—— paralysis, transient, during DOC therapy, 1426
—— sympathetic; relation to the thyroid in myxedema, 1402
—— sympathetic: *see also* Adrenal preps. & comps., catecholamines
—— tranquilizers; lactation induced by in uremia, 1489
NEUROBLASTOMA: *see* Nervous system; Tumors
NEWBORN: *see* Children; Pregnancy, fetus
NITROGEN: *see also* Protein
—— amino acid metabolism; effect of progesterone on, 1345, 1355
—— balance; effect of human growth hormone on in dwarfism and (also androgen) acromegaly, 119
—— balance; effect of progesterone on as influenced by dietary protein, 1345
—— BUN levels, BSP retention and creatinine clearance re cortisol metab. in old and young men, 1197
—— creatinine excretion; cyclical changes during adaptation to DOC-induced Na retention, 1426
—— excretion; effect of magnesium and $T_3$ on, 31
—— metabolism in women treated with mestanolone, 1099
NONTOXIC GOITER: *see* Thyroid disorders
NORADRENALINE: *see* Adrenal preps. & comps., norepinephrine
NOREPINEPHRINE: *see* Adrenal preps. & comps.
NORLUTIN: *see* Progestins
NORMAL males and females: *see* Sex; Ovary; Testis
NORTESTOSTERONE: *see* Androgens; Progestins

NOTICES
—— American Goiter Association: *see* American Goiter Association
—— American Thyroid Association: *see* American Goiter Association
—— award, American Urological Association, 1022
—— colloquium, international, on Endocrinology, Assoc. méd. France-Espagne and the Medical School of Barcelona, Spain, 115
—— congress, international, on Hormonal Steroids, Milan, Italy, 878
—— congress, Pan American, of Endocrinology, Lima, Peru, 602
—— convention, Pacific Coast Fertility Society, 1344
—— course in Clinical Radioisotope Instrumentation—Oak Ridge (Tenn.) Inst. of Nuclear Studies, 602
—— course in Gynecological Endocrinology, N. Y. Univ. P-G Medical School:
—— April, 229
—— October, 1022
—— course, postgraduate—Laboratory Tests in Diagnosis and Investigation of Endocrine Functions, University of California Med. Center, San Francisco, 358
—— course, postgraduate—Pediatrics and Pediatric Metabolism and Endocrinology, Harvard Medical School, 358
—— Endocrine Society, meetings, awards, postgraduate assembly in Endocrinology and Metabolism: *see* Endocrine Society
—— Laurentian Hormone Conference (program), 228
—— meeting, Inter-Society Cytology Council, Memphis, Tenn., 746
—— meeting, Mexican Society of Nutrition and Endocrinology, Michoacan, Mexico, 1021
—— purified steroids (radioactive) and pituitary hormones available, 1509
—— symposium, international, on Host Tumor Interactions, Henry Ford Hospital, Detroit, 359
—— symposium, international, on Radioactive Isotopes in Clinical Medicine and Research, 746
—— symposium of the Internat. Soc. of Neurovegetative Research, Turin, Italy, 115
—— symposium on Basic Problems in Neoplastic Disease, Columbia Univ. College of Physicians & Surgeons, New York, 1344
—— symposium on Fundamental Cancer Research, Univ. of Texas, 114
—— symposium on Hypertension, Recent Advances—Hahnemann Medical College and Hospital, Philadelphia, 490
—— symposium on Neuroendocrinology, Miami, Fla., sponsored by National Inst. of Health (program), 747
—— symposium on Recent Developments in Research Methods and Instrumentation, National Inst. of Health, Bethesda, Md., 878
—— symposium on Steroidal Enol and Phenol Ethers in the Clinic and in Biology, Rome, Italy, 1344
—— training program for Steroid Biochemistry, Worcester F. for Exper. Biology, Clark Univ., and Univ. of Utah, 114
—— training program in Radiation Biology and Cancer Related Research, Bowman Gray School of Medicine, 114
—— training program in the Physiology of Reproduction, Worcester Foundation for Exper. Biology, 357
NUCLEAR CHROMATIN PATTERN; det'n of sex by: *see* Sex
NUCLEI: *see also* Cells: Sex
—— drumsticks and other nuclear appendices in det'n of sex, 965
—— karyopyknotic index of vaginal smear after single inj. of HPFSH in amenorrheic women, 1068
—— nuclear changes (DNA) in thyroidal epith. foll'g $I^{131}$ radiation and thiouracil, 699
—— nuclear chromatin pattern; det'n of sex by: *see* Sex
—— XXXY sex chromosome complex in Klinefelter subjects with duplicated sex chromatin, 491
NUCLEIC ACID: *see* Desoxyribonucleic acid; Nuclei
NUTRITION
—— anorexia nervosa with amenorrhea; effect of single injection of HPFSH, 1068
—— low and high sodium diets; effect on familial periodic paralysis, 1079
—— starvation, self-imposed; effect on gigantism in child, 343

OBESITY in relation to ovarial stromal hyperplasia, 472
OBITUARY (Francis M. Pottenger), 1618
OLD AGE: *see* Age
OOPHORECTOMY: *see* Ovary
ORCHIECTOMY: *see* Testis
OSMOLALITY of urine and serum; changes during adaptation to DOC-induced Na retention, 1426
OSTEOPOROSIS: *see* Bone
OVARY: *see also* Breast; Estrogens; Gonadotropins; Menstruation; Pregnancy; Progesterone; Sex; Uterus
—— amenorrhea; *see also* Menstruation; Pregnancy
—— amenorrheic women; effect of singly inj. of human pit. FSH on estrogen excretion and vag. Smear, 1068
—— arrhenoblastoma; formation of and by *in vitro*, 165
—— bilat. oophorect'd adrenalect'd women; effect of 17-OH-progesterone on Na and K balance, 909
—— castrated and adrenalect'd woman; conversion of 4-$C^{14}$ cortisone acetate to phenolic estrogens in, 624
—— disorders secondary to hypopituitarism: *see also* Pituitary disorders
—— estrogens: *see* Estrogens
—— female chromosomal complement in case of male pseudohermaphrodism, 727
—— female infant pseudohermaphrodites; unusual pattern of steroid excretion, 860
—— feminization, testicular; male pseudoher-

OVARY (*cont'd.*)
maphrodism; endocrine studies; effect of orchiectomy, 506
—— girl aged 4, with intermittent precocious breast and genital development assoc'd with episodes of bronchitis, 80
—— girl with pancreatic adenoma; effect of leucine on plasma insulin, 1498
—— gonadal dysgenesis; metabolic effects of HGH, 119
—— gonadotropin: *see* Gonadotropins
—— hilus-cell tumor in virilized woman; plasma testosterone; urinary 17-KS, 98
—— homogenates; quant. extraction of steroids from, 62
—— 16α-hydroxylase in normal and Stein-Leventhal ovaries, 1376
—— Leydig-cell tumor of, causing virilization; review of L.-cell ovarian tumors, 91
—— menstrual cycle and disorders: *see also* Menstruation
—— normal females: *see also* Sex
—— normal females (402); sex by analysis of nuclear appendices, 965
—— normal women; FSH and ICSH excretion during menstrual cycle, 976
—— oophorectomy; influence on steroid excretion in early pregnancy, 1119
—— ovarian stromal hyperplasia; pathologic correlations, 472
—— ovariectomized woman; effect of dietary protein on catabolic effect of progesterone in, 1345
—— ovulatory menses in woman with CAH; spont. abortion; hormone studies, 675
—— pregnanediol and pregnanetriol excretion: *see* Pregnanediol; Pregnanetriol
—— progesterone: *see* Progesterone
—— sex chromatin patterns; *see also* Sex
—— sexual behavior in women; role of androgens, 482
—— sexual development in a girl with gigantism, 343
—— Stein-Leventhal syndrome; abnormal excretion of pregnanetriolone and $\Delta^5$-pregnenetriol in, 586
—— Stein-Leventhal syndrome; pregnanetriol and DHA excretion, 1304
—— steroid biosynthesis in normal and Stein-Leventhal ovaries, 1218
—— thecal and follicular versus stromal and connective tissues re steroid biosynthesis, 1218
—— virilism; pseudohermaphrodism; excretion of DHA, 17-OH-CS and 17-KS, 955
—— women; body hair growth in, 1440
—— women, hirsute, with menstrual disorders or infertility (incl. S.-L. syndrome); effect of estrogens on 17-KS excretion, 931
—— women, postmenopausal; comparative activities of urinary HPG preps., 603
—— women, postmenopausal; comparison of 2 gonadotropin preps. from urine of, 1063
—— women, postmenopausal; purification of HPG from urine of, 1260
—— women, postmenopausal; urinary gonadotropins of, 839
OVARY (*cont'd.*)
—— women with pulm. TBC; anabolic action of mestanolone in, 1099
OVULATION: *see* Menstruation; Ovary
OXYGEN: *see also* Basal metabolism
—— rate of oxygen consumption and cholesterol level; effect of chlorine derivatives of thyronine on, 1579
OXYTOCIN: *see* Pituitary preps. & comps.

PAGET'S DISEASE: *see* Bone
PANCREAS: *see also* Carbohydrate metab.; Diabetes; Insulin
—— insuloma (hypoglycemia); value of tolbutamide test in, 371
—— islet-cell tumor; effects of leucine and glycine on hypoglycemia before and after op., 401
—— pancreatic adenoma; effect of leucine on plasma insulin in case of, 1498
PANHYPOPITUITARISM: *see* Pituitary disorders
PARABROMDYLAMINE MALEATE; inhibition of thyroidal $I^{131}$ uptake by, 739
PARALYSIS: *see* Nervous system
PARATHYROIDS: *see also* Bone; Calcium
—— hyperparathyroidism, primary, cured by removal of lesion in neck, 833
—— hyperparathyroidism; remission after spont. infarct of the adenoma; then hypocalcemic tetany, 196
—— hyperparathyroidism; signs of in some cases of uremia with drug-induced lactation, 1489
—— hypoparathyroidism responsive to magnesium sulfate after resistance to other medications, 219
—— parathyroid disease studied with $Ca^{45}$ and $Sr^{85}$, 611
PARTURIENT women: *see* Pregnancy
PBI: *see* Iodine
PENTOSE: *see* Carbohydrate metab.
PERCHLORATE
—— $KClO_4$; effect on iodine metab. in H. thyroiditis, 806
—— $KClO_4$; effect on response of thyroidal iodide to TSH, 554
PERFUSION studies of human placenta, 895, 1511
PERGONAL: *see* Gonadotropins
PETTENKOFER CHROMOGENS: *see* Adrenal preps. & comps.; Steroids
pH: *see* Hydrogen ion
PHENFORMIN: *see* DBI
PHENOTHIAZINES; lactation induced by in uremia, 1489
PHENYLKETONURIA and thyroid function, 865
PHEOCHROMOCYTOMA: *see* Adrenal disorders
PHOSPHATASE: *see* Enzymes; Phosphorus
PHOSPHORUS: *see* Bone; Calcium; Parathyroids
—— and alk. phosphatase of serum; effect of removal of neck cyst in a case of hyperparathy'm, 833
—— balance; effect of progesterone on as influenced by dietary protein, 1345
—— balance in dwarfism and acromegaly; effect of HGH on, 119
—— bones and stones, 1254

PHOSPHORUS (*cont'd.*)
—— excretion; effect of magnesium and $T_3$ on, 31
—— metabolism in case of hyperparathyroidism with infarcted adenoma, then tetany, 196
—— metabolism in women treated with mestanolone, 1099
—— of serum in a case of gigantism, 343
—— phosphatase: *see* Enzymes
—— phosphate excretion; cyclical changes during adaptation to DOC-induced Na retention, 1426
PIGMENT: *see also* Adrenal disorders, Addison's disease
—— bilirubin: *see* Liver and Gall Bladder, function tests
—— in urine after U-9189 admin., 128
PITRESSIN: *see* Pituitary preps. & comps. (antidiuretic hormone, vasopressin)
PITUITARY: *see also* Gonadotropins
DISORDERS
—— acromegaly and pituitary failure; TSH-PBI test in, 465
—— acromegaly; metabolic effects of human growth hormone and androgen in, 119
—— diabetes insip.; effect of HGH on Na, K, and aldosterone, 361
—— eosinophilic adenoma (acromegaly) assoc'd with carcinoid of recto-sigmoid, 735
—— gigantism in child; effect of irradiation, estrogens and starvation on, 343
—— hypophysectomized women; cortisol removal rates in, 1248
—— hypophysectomy in twelfth week; completion of pregnancy foll'g, 1139
—— hypopituitarism and acromegaly; urinary ACTH in, 140
—— hypopituitarism; catecholamines of blood in, 281
—— hypopituitarism, postop.; thyroid activator in serum, 635
—— hypopituitarism: renal function in; effects of $T_3$ on, 548
—— panhypopituitarism after op. for chromophobe adenoma; completion of pregnancy; hormone studies, 1139
—— panhypopituitarism and acromegaly; effect of ACTH, SU-4885 and pyrogen on plasma 17-OH-CS in diff. diagnosis, 433
—— pituitary dwarf; long-term effects of human growth hormone (Li) in, 721
—— pituitary dwarfism and deficiency; absorption and excretion of parenterally admin'd HPG in, 575
—— Sheehan's syndrome; reappearance of menstruation and gonadotropins after hormonal treatment, 1007
—— stalk section for exophthalmos; effect of EPS of serum, 648
GONADOTROPINS: *see* Gonadotropins
PHYSIOLOGY & PATHOLOGY
—— ACTH: *see* Pituitary preps. & comps.
—— basophil cells of; two types, 732
—— hypophysectomy: *see* Pituitary disorders

PITUITARY (*cont'd.*)
PHYSIOLOGY & PATHOLOGY (*cont'd.*)
—— pituitary hormones: *see* Gonadotropins; and Pituitary preps. & comps.
—— pituitary, human or rat; assay of TSH in, 1280
—— pituitary-adrenal interrelationship in CNS diseases, 1023
—— pituitary-adrenal responsiveness, 433
PREPARATIONS & COMPOUNDS
*Adrenocorticotropic Hormone (ACTH)*
—— ACTH in adrenal insufficiency; excretion of Pettenkofer chromogens during, 955
—— ACTH test: *see also* Adrenal physiol. & path. (function tests)
—— blood ACTH in Cushing's disease (bilat. adrenalectomy), 426
—— determination of in urine by benzoic-acid adsorption method, 140
—— effect on excretion of 6$\beta$-OH-cortisol, 1290
—— effect on excretion of pregnanediol and triol, 17-OH-CS and 17-KS in adrenocort. disorders, 923
—— effect on plasma free and conj. 17-OH-CS in normal subjects and after gastrectomy, 39
—— effect on plasma 17-OH-CS in diff. diagnosis, 433
—— effect on steroid content of spermatic vein blood in case of testicular tumor and CAH, 663
—— effect on steroid excretion in case of bilat. testicular tumors +CAH, before and after orchiectomy, 518
—— effect on urinary steroid patterns in case of CAH with spont. abortion, 675
—— excretion in Addison's dis. hypopituitarism, anorexia nervosa and Cushing's syn., 140
—— extra-adrenal influence of ACTH on cortisol metabolism, 106
—— release of: pretectal and temporal lobe areas of brain as factors, 695
—— response to, after orchiectomy in male pseudohermaphrodism, 506
—— response to, in some CNS diseases, 1023
—— response to, in Cushing's syn.; effect of o,p'DDD on, 201
*Pituitary Hormones (General)*
—— extract compared with serum EPS; exophthalmic responses to; 648
—— FSH (follicle-stimulating hormone): *see also* Gonadotropins
—— gonadotropic hormones: *see also* Gonadotropins
—— growth hormone, human, and subfractions; sodium retention with, 361
—— growth hormone, human (Li); long-term effects in pit. dwarf, 721
—— growth hormone, human; metabolic effects in dwarfism and acromegaly, 119
—— human pituitary gonadotropin: *see* Gonadotropins
—— L.A.T.S. (long-acting thyroid stimu-

PITUITARY (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
lator) in thyrotoxicosis; dose-responses compared with those of TSH, 799
—— oxytocic activity of blood in parturient and lactating women, 985
—— vasopressin and oxytocin; failure to stimulate thyroid function in the normal male, 1543
—— vasopressin and water, sustained admin. of; renal response to, 231
*Thyroid-Stimulating Hormone (TSH)*
—— activity in serum of euthyroid, treated hyperthyroid, and postop. hypothyroid patients; thyroid activator, 1127
—— and thyroiditis, 738
—— effect on $I^{131}$ metab. in phenylketonuria, 865
—— effect on $I^{131}$ uptake and $PBI^{131}$ in normal males, 1543
—— effect on iodide inhibition test in normal subjects, 1037
—— effect on iodine metab. in H. thyroiditis, 806
—— effect on urinary and thyroidal iodide in man and rat, 554
—— from plasma and tissues; fractionation, 1280
—— hog versus bovine; early metabolic effects, 1494
—— in serum of mother and fetus, 1013
—— inactivated in study of early metabolic effects, 1494
—— poor response to in Klinefelter subjects with XXXY chromosome complex, 491
—— purified bovine; dose-response characteristics studied by $I^{131}$ i.v. and orally; storage potency, 1469
—— purified, bovine; refractoriness to after prolonged admin.; antibody studies, 1475
—— TSH (4 injections); remission of myxedema foll'g, 213
—— TSH-PBI test, 465
—— TSH test to prove permanent myxedema foll'g gran. thyroiditis, 1384
—— TSH-treated subjects; failure of thiourea to prevent hormone synthesis in, 157
—— TSH versus the thyroid activator of hyperthyroidism, 635
PLACENTA: *see* Gonadotropins, chorionic; Pregnancy
PLASMA: *see* Blood
POLYURIA: *see* Urine
PORTAL VEIN: *see* Liver; Vascular system
PORTER-SILBER (P-S) CHROMOGENS: *see* Adrenal preps. & comps.; Steroids
POSTERIOR PITUITARY EXTRACT: *see* Pituitary preps. & comps., ADH, post. pit. extract, vasopressin
POSTGRADUATE ASSEMBLIES AND COURSES: *see* Endocrine Society; and under Notices
POSTMENOPAUSAL: *see* Menstruation; Ovary
POSTPARTUM: *see* Pregnancy
POSTURE; possible effect on pattern of natriuresis in response to DOC-induced Na retention, 1426
POTASSIUM: *see also* Electrolytes; Sodium
—— and sodium metabolism in familial periodic paralysis with hypokalemia; ECG, 1079
—— balance during admin. of 17$\alpha$-OH-progesterone, 909
—— balance; effect of progesterone on as influenced by dietary protein, 1345
—— balance; effect of RS-1280 and diuretics on, in cirrhosis with ascetes, 1364
—— balance; effect of sustained admin. of vasopressin and water on, 231
—— balance in dwarfism and acromegaly; effect of HGH on, 119
—— excretion, cyclical, during adaptation to DOC-induced Na retention, 1426
—— hypokalemic alkalosis and adrenocortical hyperfunction; excretion of 6$\beta$-OH-cortisol in, 263
—— iodide: *see* Iodine (iodides)
—— metabolism in women treated with mestanolone, 1099
—— of serum in a case of gigantism, 343
—— perchlorate: *see* Perchlorate
—— retention with human growth hormone, 361
—— thiocyanate: *see* Thiocyanate
POTENCY of purified TSH after storage, 1469
PRE-ALBUMIN: *see* Protein
PRECOCIOUS PUBERTY: *see* Ovary; Puberty; Sex; Testis
PREDNISONE; PREDNISOLONE: *see* Adrenal preps. & comps.
PREGNANCY: *see also* Estrogens; Gonadotropins; Menstruation; Ovary; Progesterone
—— abortion; effect on iodine metabolism in mother and fetus, 779
—— abortion, spontaneous, in case of CAH; hormonal studies, 675
—— and in the newborn; thyroid antibodies in blood, 792
—— antithyroid antibody in, 209
—— binding of aldosterone and cortisol by plasma in, 53
—— chorionic gonadotropin: *see also* Gonadotropins
—— early; influence of oophorectomy on steroid excretion, 1119
—— effect on iodine metab. in the primate, 779
—— fetal testis; steroidogenesis in, 1611
—— in previously barren patient, after remission of myxedema by use of TSH, 213
—— lactation: *see also* Breast
—— mother and fetus; TSH in serum, 1013
—— parturient and lactating women; oxytocic activity of blood, 985
—— placenta; metab. of estradiol, with and without HCG, 895
—— placenta; production of P-S chromogens by, 1511
—— pregnanediol; pregnanetriol: *see also* Pregnanediol; Pregnanetriol
—— progesterone; progestins: *see also* Progesterone; Progestins

PREGNANCY (*cont'd.*)
—— resin uptake of $I^{131}$-$T_3$ as test of thyroid function in, 456
—— resin uptake of $T_4^{131}$ from serum in, 1448
—— successful, foll'g hypophysectomy in twelfth week; hormone studies, 1139
—— umbilical cord plasma; Porter-Silber steroids and cortisol in, 414
PREGNANEDIOL: *see also* Progesterone; Pregnancy; Adrenal preps. & comps.
—— and pregnanetriol excretion in cases of Leydig-cell tumor, 91
—— and pregnanetriol in successful pregnancy after hypophysectomy, 1139
—— and pregnanetriol; method for simult. det'n; excretion in adrenocort. disorders, 923
—— as a urinary and biliary metabolite of 17α-OH-progesterone, 1534
—— excretion; effect of oophorectomy on in early pregnancy, 1119
—— excretion in amenorrheic women after single inj. of human pit. FSH, 1068
—— excretion in CAH wi. spont. abortion, 675
PREGNANETRIOL: *see also* Adrenal preps. & comps.; Progesterone; Pregnancy
—— and dihydroxypregnane-20-one excretion in CAH, 765
—— and other metabolites; unusual steroid pattern in infants with CAH, 860
—— and pregnanediol excretion in male infant with hypospadias and adrenogen. syn., 1087
—— and pregnanediol; method for simult. det'n, excretion in adrenocort. disorders, 923
—— as a urinary and biliary metabolite of 17α-OH-progesterone, 1534
—— excretion in case of CAH with bilat. testicular tumors, 518
—— excretion in case of CAH with spont. abortion, 675
—— excretion in male pseudohermaphrodism, 506
—— excretion in Stein-Leventhal syn., 586
—— 17α-OH-pregnenolone the principal precursor of, in virilizing adrenal adenoma, 1522
PREGNANETRIOLONE: *see* Steroids; Adrenal preps. & comps.
PREGNENETRIOL: *see also* Steroids; Progesterone; Adrenal preps. & comps.
—— as a urinary metabolite in a case of virilizing ad. adenoma, 1522
—— $\Delta^5$-pregnenetriol excretion in Stein-Leventhal syn., 586
PREGNENOLONE
—— 17α-hydroxypregnenolone as a precursor of urinary steroids in virilizing adrenal adenoma, 1522
—— pregnenolone-7α-$H^3$; conversion to DHA, testosterone and androstenedione in the fetal testis, 1611
PRESENTATION, Certificate of Merit: *see* Endocrine Society
PRESIDENTIAL ADDRESS, 1254
PRETECTAL area: *see* Brain
PRETIBIAL MYXEDEMA: *see* Thyroid disorders, hypothyroidism
PRIMATES; effect of pregnancy on iodine metab. in, 779
PROGESTERONE: *see also* Estrogens; Menstruation; Ovary; Pregnancy; Progestins; Steroids
—— 4-$C^{14}$-17α-OH-progesterone; urinary and biliary metabolites of, 1534
—— catabolic influence of; effect of dietary protein on, 1345
—— 6-chloro, 6-dehydro, 17α-acetoxyprogesterone; possible action as an aldosterone antangonist; effect of diuretics, 1364
—— conversion products formed by human ovaries *in vitro*, 1218
—— conversion to hydroxyprogesterone in demonstration of 16α-hydroxylase in ovary, 1376
—— effect on amino acid metabolism, 1345, 1355
—— group of steroids; plasma, urinary, biliary and fecal distrib., 753
—— 17α-OH-progesterone, a salt-losing steroid; relation to CAH, 909
—— 17-OH-progesterone-4-$C^{14}$; metab. of in normal and CAH-virilized subjects, 765
—— 17α-OH-progesterone in testicular tumor removed from boy with CAH, 518
—— 17α-OH-progesterone not the principal precursor of pregnanetriol in virilizing adrenal adenoma, 1522
—— 17α-OH-progesterone synthesized by testicular tumor in case of CAH, 663
—— pregnanediol; pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— progesterone 4-$C^{14}$; incubation of arrhenoblastoma with; formation of 17-OH-progesterone and testosterone, 165
—— radioactive 17α-OH-progesterone and 6α-methyl-17α-acetoxyprogesterone; disposition of, 753
PROGESTINS
—— ethynl nortestosterone (Norlutin); androgenic action on prepuberal sebaceous glands, 215
—— 17α-ethyl-19-nortestosterone; effect on clearance of infused cortisol in men, 826
—— progestin in blood of newborns, 862
PROGNOSTIC value of early determination of thyroidal radioiodine uptake, 1483
PROGRAMS: *see* Endocrine Society; and under Notices
PROLACTIN: *see* Breast, lactation
PROPANONE COMPOUND (SU-4885); plasma 17-OH-CS response to, 433
PROPYLTHIOURACIL: *see* Thiouracil
PROTEIN: *see also* Nitrogen
—— abnormal iodoprotein in blood in 2 cases of hyperthyroidism, 1455
—— agammaglobulinemia; effect of HGH in case of, 119
—— albumin of serum in diagnosis of H. thyroiditis, 879
—— anabolic action of mestanolone in women, 1099
—— antibodies: *see* Antibodies
—— binding in slices of exoph. goiter, 849

PROTEIN (*cont'd.*)
—— binding of cortisol and corticosterone, 1146
—— creatine tolerance tests in a case of gigantism, 343
—— dietary; effect on the catabolic influence of progesterone, 1345, 1355
—— electrophoreses of sera foll'g admin. of hog thyroglobulin, 1572
—— globulin and albumin in plasma; corticosteroid binding by; effect of temperature, 53
—— globulin, thyroxine-binding (TBG), *see* Iodine; Thyroid
—— iodoproteins, abnormal, in blood of some goitrous adults; electrophoresis; antibodies 1390
—— lipoproteins of serum; effect of androsterone on, 1208
—— marked abnormalities in serum; $I^{131}$-$T_3$ resin uptake in euthyroid patients with, 456
—— nucleic acid: *see* Desoxyribonucleic acid
—— overall binding of Tetrac and Triac, 1548
—— plasma protein-binding of cortisol, 826
—— pre-albumin; thyroxine binding by, 104
—— serum albumin, radioiodinated; diurnal pattern in rate of disappearance from serum, 582
—— serum proteins; decreased thyroxine-binding by, with normal PBI, hyperthyroidism; 2 cases, 1455
PSEUDOHERMAPHRODISM: *see* Ovary; Testis; Sex
PSYCHIATRIC: *see* Mental
PSYCHOLOGIC: *see* Mental
PSYCHOSIS: *see* Mental
PUBERTY
—— intermittent genital precocity assoc'd with episodes of bronchitis, 80
—— normal; *see* Children; Ovary; Testis
—— precocious; excretion of DHA and P chromogens, 1321
—— precocious: *see also* Adrenal disorders; Ovary; Testis
PUERPERIUM: *see* Pregnancy
PULSE pressure: *see* Vascular system
PURIFICATION: *see* Methods
PYROGENS: *see* Temperature

RADIATION: *see* Radioactive; Roentgen rays
RADIOACTIVE
—— Au $^{198}$ and $I^{131}$ for liver scintigram in case of thyrotoxicosis due to an hepatic metastasis, 1334
—— $C^{14}$-corticosteroids: *see* Adrenal preps. & comps.
—— 4-$C^{14}$-cortisol: *see* Adrenal preps. & comp
—— 4-$C^{14}$-cortisone acetate: *see* Adrenal preps. & comps.
—— $C^{14}$-17$\beta$-estradiol: *see* Estrogens
—— $C^{14}$-estrogens: *see* Estrogens
—— 4-$C^{14}$-hydrocortisone: *see* Adrenal preps. & comps.
—— 4-$C^{14}$-6$\beta$-hydroxycortisol: *see* Adrenal preps. & comps.
—— 4-$C^{14}$-17$\alpha$-hydroxyprogesterone and 6$\alpha$-methyl-17$\alpha$-acetoxyprogesterone: *see* Progesterone
—— 4-$C^{14}$-progesterone: *see* Progesterone
—— calcium$^{45}$: *see* Calcium
—— $H^3$-cholesterol: *see* Cholesterol
—— 7-$H^3$-aldosterone: *see* Adrenal preps. & comps.
—— 7$\alpha$-$H^3$-pregnenolone: *see* Pregnenolone
—— $I^{131}$ and $I^{132}$: *see* Iodine, radioactive
—— radioactive agents in det'n of corticoids of plasma, 1146
—— radioactive 6$\alpha$-methylprednisolone: *see* Adrenal preps. & comps.
—— radioiodinated serum albumin: *see* Iodine, radioactive; Proteins
—— radiosensitivity of thyroid in system of therapy for toxic and nontoxic goiter, 817
—— strontium$^{45}$: *see* Strontium
—— Tetrac$^{131}$ and Triac$^{131}$: *see* Thyroid preps. & comps.
—— thyroxine$^{131}$ and triiodothyronine$^{131}$: *see* Thyroid preps. & comps.
—— tritium-labeled compounds: *see* Radioactive, $H^3$ labeling.
RADIOIODINE: *see* Iodine, radioactive
RADIO-THYRONINES, THYROXINE AND TYROSINES *see* Thyroid preps. & comps.; Iodine, radioactive
RECIPIENTS OF AWARDS: *see* Endocrine Society; Am. Goiter Association
RECTO-SIGMOID: *see* Gastro-intestinal tract
RENAL: *see* Kidney; Urine
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Sex; Testis
RESEARCH, clinical; adventures in (Pres. Address), 1254
RESERPINE; lactation induced by in uremia, 1489
RESIN
—— uptake of $I^{131}$-$T_3$ as test of thyroid function, 456
—— uptake of radiothyroxine from serum in thyroid disease and in pregnancy, 1448
RESISTANCE: *see also* Antibodies
—— insulin resistance and conc. of insulin-binding antibodies, 533
—— to TSH after prolonged administration, 1475
—— to vitamin D in case of hypoparathyroidism responsive to Mg $SO_4$, 219
REVIEW; determination of cortisol and corticosterone in blood, 1146
RHESUS MACAQUE: *see* Species
ROENTGEN RAYS
—— effect on gigantism in a child, 343
—— postoperatively, for thyroid carcinoma, 1596
—— radiographic iodine comps. in serum; PBI det'd in presence of, 1272
ROUTE OF ADMINISTRATION
—— androsterone orally versus i.m.; effect in serum lipids, 1208
—— of $I^{132}$ (oral or i.v.); effect on thyroidal uptake after admin. of purified TSH, 1469
—— parenterally admin'd HPG; absorption and excretion, 575

ROUTE OF ADMINISTRATION (*cont'd.*)
—— sublabial gonadotropin; absorption, 579
RS-1280: *see* Progesterone (chloro-dehydro-acetoxy)

SACCHARIDES: *see* Carbohydrate metab.
SACCHAROLACTONE; inhibition of enzymic hydrolysis of conj. P-S chromogens by, 1511
SALT: *see* Sodium; Electrolytes
SCHIZOPHRENIA: *see* Mental
SCHOLAR, UPJOHN: *see* Endocrine Society
SEBACEOUS GLANDS: *see* Skin
SEMEN: *see* Testis
SERUM: *see* Blood
SEX: *see also* Androgens; Estrogens; Gonadotropins; Ovary; Progesterone; Testis
—— chromatin pattern in dystrophia myotonica, 1592
—— chromosome counts (skin cells) in new type of human intersex, 727
—— determination of, by drumsticks and other nuclear appendices (in leukocytes); analyses in 804 normal subjects, 965
—— gonadal dysgenesis: *see also* Ovary; Testis
—— male pseudohermaphrodism with female chromosomal complement, 727
—— males and females; electrical capacity of skin, 1054
—— males and females; excretion of Pettenkofer chromogens (DHA), 955
—— males and females; excretion of $\Delta^5$-pregnenetriol and 3$\beta$-OH-$\Delta^5$ steroids, 1304
—— males and females, normal, adult; urinary aldosterone values (new method), 148
—— males and females, normal; excretion of DHA and P. chromogens in, 1321
—— males and females; normal plasma levels of corticoids at various times of day, 1146
—— males and females, normal; urinary catecholamines, 305
—— males, normal; effect of progesterone on amino acid metabolism, 1345, 1355
—— men and women; differences in response of PBI to 2 synthetic estrogens in ath. heart disease, 243
—— normal men; HPG in urine of, 1
—— normal men: *see also* Testis
—— normal women: *see also* Ovary
—— sex not a factor in thyroidal radiosensitivity in thyrotoxicosis, 817
—— sex related to histologic type of thyroid cancer and survival rates, 1596
—— sexual behavior in women: role of androgens, 482
—— sexual factor in body hair growth of women, 1440
—— XXXY sex chromosome complex in Klinefelter subject with duplicated sex chromatin, 491
SEXUAL: *see* Sex; Ovary; Testis
SEXUAL PRECOCITY: *see* Adrenal disorders; Ovary; Puberty, precocious; Testis
SHEEHAN'S SYNDROME: *see* Pituitary disorders
SKIN: *see also* Hair; Pigment; and re various diseases
—— acne in cases of Cushing's syndrome: *see* Cushing's syn.
SKIN (*cont'd.*)
—— cells with duplicated sex chromatin in Klinefelter subject; XXXY chromosome complex, 491
—— electrical capacity of in thyroid diseases; correl. with BMR and $I^{131}$ uptake, 1054
—— nuclear chromatin pattern: *see* Sex
—— sebaceous glands; androgenic effects of Norlutin on; test for androgenicity, 215
SODIUM: *see also* Electrolytes; Potassium
—— and potassium metabolism in familial periodic paralysis; effect of low-sodium diet, 1079
—— balance during admin. of 17$\alpha$-OH-progesterone, 909
—— balance; effect of HGH on in dwarfism and acromegaly, 119
—— metabolism; effect of sustained admin. of vassopressin and water on; hyponatremia, 231
—— natriuretic effect of chloro-dehydro-acetoxyprogesterone in cirrhosis with ascites, 1364
—— retention, DOC-induced; cyclical pattern of renal excretion during adaptation to, 1426
—— retention with human growth hormone and subfractions, 361
—— salt-losing CAH; bilat. testicular tumors with, 518
—— salt-losing steroid, 17$\alpha$-OH-progesterone, 909
—— sodium-retaining substances: *see also* Adrenal preps. & comps.
—— effect on assays of acid-hydrolyzed steroid, 1092
—— effect on yield of corticoids from blood, 1146
SOLVENTS
—— effect on assays of acid-hydrolyzed steroid, 1092
—— effect on yield of corticoids from blood, 1146
SPECIES
—— bovine purified TSH in man; dose-responses and antibodies to, 1475
—— Fundulus used in study of exophthalmos-producing substance, 648
—— hog thyroglobulin $I^{131}$-labeled; components of PBI foll'g admin. of, 1572
—— hog versus bovine TSH; early metabolic effects, 1494
—— rhesus macaque versus human; effect of pregnancy on iodine metab. in, 779
SPERMATOZOA: *see* Testis
SPIRONOLACTONE as aldosterone antagonist, used in RS-1280 study, 1364
SQUIBB FELLOWSHIP: *see* Endocrine Society, awards
STARVATION: *see* Nutrition
STATISTICAL STUDY of 390 patients with thyroid carcinoma; 40-year period, 1596
STEIN-LEVENTHAL SYNDROME: *see* Ovary; Syndromes
STERILITY: *see* Menstruation; Pregnancy; Ovary; Testis
STEROIDS: *see also* Adrenal preps. & comps.; Androgens; Estrogens; Progesterone

STEROIDS (*cont'd.*)
—— ACTH and steroids, urinary, in various diseases, 140
—— adrenal steroids: *see also* Adrenal preps. & comps.
—— aldosterone: *see* Adrenal preps. & comps.
—— alpha-ketolic and 6β-OH-cortisol in adrenal hyperfunction, 263
—— androgens: *see* Androgens
—— biosynthesis in human ovary, 1218
—— biosynthesis of by testicular tumors, 663
—— corticoids; corticosteroids; corticosterone: *see also* Adrenal preps. & comps.
—— cortisol, cortisone: *see* Adrenal preps. & comps.
—— determination of: *see* Methods
—— estrogens: *see* Estrogens
—— etiocholanolone, dehydroepiandrosterone, and various other steroids in male pseudohermaphrodism; before and after orchiectomy, 506
—— excretion (incl. DHA) in male infant with hypospadias and adrenogen. syn., 1087
—— fluorocorticoids: *see* Adrenal preps. & comps.
—— hydrocortisone: *see* Adrenal preps. & comps.
—— 17-hydroxycorticosteroids: *see* Adrenal preps. and comps.
—— 17-hydroxyprogesterone: *see* Progesterone
—— in tissue and blood; quant. extraction and partial purification of steroids in, 62
—— 17-ketogenic steroids: *see* Adrenal preps. & comps.
—— 17-ketosteroids (17-Ks): *see also* separate section under Steroids; and Adrenal preps. & comps.
—— new urinary steroids and identification of 6β-hydroxycortisol in urine, 1290
—— Pettenkofer chromogens: *see* Adrenal preps. & comps.
—— pregnanediol; pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— pregnanetriolone and $\Delta^5$-pregnenetriol excretion abnormal in S-L syn., 586
—— $\Delta^5$-pregnenetriol and other 3β-hydroxy-$\Delta^5$ steroids; excretion in endocrine disorders, 1304
—— progesterone, *see* Progesterone
—— progesterone versus cortisol groups; disposition of, 753
—— salt-losing steroid, 17α-OH-progesterone, 909
—— sex steroids: *see* Androgens; Estrogens; Progesterone
—— steroid conversion reactions; great normal variability in, 271
—— steroid excretion; influence of oophorectomy on in early pregnancy, 1119
—— steroidogenesis in the fetal testis, 1611
—— steroid-secreting (chiefly 17α-OH-progesterone) testicular tumors in boy with CAH; effect of orchiectomy; urinary steroid fractions; 518
—— transmethylation of 2-OH-estrogens by human tissue, 211
—— unusual steroid pattern in CAH; enzyme deficiency, 860
—— urinary steroids; 17α-OH-pregnenolone as a precursor of, 1522

STEROIDS (*cont'd.*)
17-KETOSTEROIDS
—— and 17-KGS excretion in CNS disease, 1023
—— and other steroids; excretion in virilizing adrenocort. disorders; effect of ACTH, 923
—— and P. chromogen excretion in endocrine disorders, 955
—— as metabolites of 17α-OH-progesterone, 1534
—— effect of HGP on in pituitary deficiency, 575
—— effect of o,p'DDD on in Cushing's syn., 201
—— effect of oral and i.m. admin. of androsterone on, 1208
—— excretion after admin. of 17-OH-progesterone-4-$C^{14}$ in CAH, 765
—— excretion in case of testicular tumor complicating CAH, 663
—— fractions excreted by man with Addison's disease, 506
—— fractions in urine in case of 17α-OH-progesterone-secreting testicular tumors +CAH; effect of orchiectomy, 518
—— from metabolism of hydrocortisone-4-$C^{14}$ at various thyroid hormone levels, 1231
—— in cases of Leydig-cell tumor, 91
—— in Cushing's syn., during night and day, 684
—— in female genital precocity assoc'd with attacks of bronchitis, 80
—— in male pseudohermaphrodism, before and after orchiectomy, 506
—— in pit. dwarf treated with HGH, 721
—— in virilized women; effect of estrogens on, 931
—— in virilized women with adrenal or ovarian tumor; plasma testosterone, 98
—— pattern in case of CAH with spont. abortion; effect of ACTH, 675
—— unusual pattern in infants with CAH, 860
—— urinary, after admin. of long-acting testosterone esters, 271
STILBESTROL: *see* Estrogens
STONES: *see* Kidney
STRESS: *see* Mental; Surgery
STROMA, ovarian: *see* Ovary
STRONTIUM: $Sr^{45}$; continuous infusion of in study of skeletal function, 611
SU-4885: *see also* Amphenone
—— plasma 17-OH-CS response to, 433
—— test; 11-desoxycortisol and cortisol of plasma in normal subjects and Cushing's syn. with hyperpl., 943
—— test; 17-KGS response to in some CNS diseases, 1023
SUBLABIAL absorption of gonadotropin, 579
SUBJECT INDEX to Vol. 21, 1627
SUGAR: *see* Carbohydrate metab.; Diabetes; Insulin
SUPPRESSION tests: *see* Tests
SURGERY: *see also* under organ involved
—— adrenalectomized patients: *see* Adrenal disorders
—— castrates: *see* Ovary; Testis
—— form of thyroidectomy for thyroid car-

SURGERY (*cont'd.*)
cinoma, as affected by statistics over a 40-year period, 1596
—— hypophysectomized patients: *see* Pituitary disorders
—— surgical trauma; effect on plasma conj. 17-OH-CS, 39
—— thyroidectomy; effect of manipulation of gland on thyroxine turnover, 336
—— thyroidectomy: *see also* Thyroid disorders
SYMPATHETIC NERVOUS SYSTEM: *see* Nervous system; Adrenal preps. & comps., catecholamines
SYMPOSIA: *see* Notices
SYNDROME: *see also* various endocrinopathies
—— adrenogenital: *see* Adrenal disorders
—— Cushing's: *see* Cushing's syndrome
—— familial syndromes: *see also* Familial
—— Klinefelter's: *see* Testis
—— Sheehan's; reappearance of menstruation and gonadotropins after hormonal treatment, 1007
—— Stein-Leventhal; abnormal excretion of pregnanetriolone and $\Delta^5$-pregnenetriol in, 586
—— Stein-Leventhal; effect of estrogens on 17-KS excretion, 931
—— Stein-Leventhal ovaries; 16$\alpha$-hydroxylase activity in, 1376
—— Stein-Leventhal ovaries; steroid biosynthesis by, 1218
—— Stein-Leventhal; pregnenetriol and DHA excretion, 1304
SYSTEM of $I^{131}$ therapy, 817

TBG (Thyroxine-binding globulin): *see* Thyroid preps. & comps.
TBP (thyroxine-binding protein): *see* Thyroid preps. & comps.
TEMPERATURE
—— effect on binding of cortisol and aldosterone, 53
—— heat; effect on glucose-uptake stimulating activity of a fibrosarcoma, 541
—— heat-inactivated TSH, in study of metabolic effects, 1494
—— pyrogen; adrenal response to in some CNS diseases, 1023
—— pyrogen, lipopolysaccharide; plasma 17-OH-CS response to, 433
—— systemic reactions (incl. fever) from androsterone i. m., 1208
TEMPORAL LOBE: *see* Brain
TESTIS: *see also* Androgens; Gonadotropins; Steroids
—— bilat. orchidectomy for testicular tumors in CAH; effect on 17-KS and pregnanetriol, 663
—— chromosomal sex: *see* Sex
—— disorders secondary to hypopituitarism: *see* Pituitary disorders
—— eunuchoidism; absorption and excretion of parenterally admin'd HPG in, 575
—— fetal; steroidogenesis in, 1611
—— homogenates; quant. extraction of steroids from, 62
—— Klinefelter subjects with duplicated sex chromatin; XXXY sex chromosome complex in, 491
—— male pseudohermaphrodism; testicular feminization; endocrine studies; effect of orchiectomy, 506
—— male pseudohermaphrodism with female chromosomal complement, 727
—— male urine compared with postmenopausal; purification and yield of HPG, 1260
—— male with Addison's dis.; excretion of 17-KS fractions, 506
—— males; effect of 17-OH-progesterone on Na and K balance, 909
—— men and eunuchs; urinary gonadotropins of, 839
—— men, old and young; adrenal, renal, hepatic and thyroid function in; cortisol metab., 1197
—— men, young and elderly; metabolism of cortisol-4-$C^{14}$ in, 1413
—— normal males; daily variation of serum TSH in, 1127
—— normal males; failure of vasopressin or oxytocin to stimulate thyroid function in, 1543
—— normal males; sex by analysis of nuclear appendices, 965
—— normal males; *see also* Sex
—— normal men; assay of urinary HPG with purification procedure, 856
—— normal men; TSH in serum, 1280
—— testicular histology in male infant with hypospadias and the adrenogenital syn., 1087
—— testicular tumors, bilat., complicating congen. ad. hyperplasia; steroid secretion by (chiefly 17$\alpha$-OH-progesterone), 518
—— tumors of, in CAH; biosynthesis of steroids by; spermatic vein blood, 663
—— young soldiers; effect of long-acting testosterone esters on 17-KS excretion in, 271
TESTOSTERONE AND COMPOUNDS: *see* Androgens; Steroids
TESTS: *see also* Methods
—— ACTH test: *see* Pituitary preps. & comps., ACTH
—— adrenal function: *see also* Adrenal
—— antigen-antibody tests to show sublabial absorption of gonadotropin, 579
—— cytologic (chromatin) for genetic sex: *see* Sex
—— for androgenic activity of progestins, by effect on human prepuberal sebaceous glands, 215
—— for diff. diagnosis of types of pheochromocytoma; effect of histamine on plasma catecholamines, 281
—— for euthyroidism versus hyperthyroidism by difference in response to thiocyanate or thiourea, 1566
—— for Hashimoto's thyroiditis; comparison of, 879
—— for skeletal function, using continuous infusion of $Ca^{45}$ and $Sr^{85}$, 611
—— for thyroid function by resin uptake of $I^{131}$-$T_3$, 456

TESTS (*cont'd.*)
—— glucose (sugar) tolerance: *see* Carbohydrate metab.; Diabetes
—— insulin tolerance: *see also* Insulin
—— MHMA test in diagnosis of pheochromocytoma, 315
—— pregnancy: *see* Gonadotropins (chorionic); Pregnancy
—— rapid intravenous glucagon-free insulin tolerance test, 401
—— SU-4885 test: *see* SU-4885
—— thyroid function: *see* Thyroid; Iodine
—— thyroxine and triiodothyronine suppression tests: *see* Thyroid preps. & comps.
—— thyroxine or $T_3$ suppression tests after $I^{131}$ therapy for thyrotoxicosis, 569
—— triiodothyronine suppression test; quant. observations, and comparison with thyroxine supp. test, 189
—— TSH-PBI test, 465
TETANY: *see* Calcium; Parathyroid disorders
TETRAC: *see* Thyroid preps. & comps.
TETRAHYDROCORTISOL (THF); TETRAHYDROCORTISONE (THE): *see* Adrenal preps. & comps.
TETRAIODOTHYROACETIC ACID (Tetrac): *see* Thyroid preps. & comps.
THE (tetrahydro E); THF (tetrahydro F): *see* Adrenal preps. & comps.
THECA cells: *see* Ovary
THIOCYANATE
—— effect on discharge of $I^{131}$ in familial goitrous cretinism, 21
—— effect on discharge of $I^{131}$ in slices of exoph. goiter, 849
—— KSCN effect on $I^{131}$ uptake in euthyroid versus hyperthyroid patients; serum thiocyanate levels, 1566
—— KSCN; effect on thyroidal $I^{131}$ in TSH-treated patients, 157
—— sodium thiocyanate; effect on response of thyroidal iodide to TSH, 554
THIOURACIL
—— effect on nuclei of thyroid epith. cells, 699
—— propylthiouracil; effect on resin uptake of $T_4^{131}$ from serum, 1448
—— propylthiouracil; effect on response of thyroidal iodide to TSH, 554
—— propylthiouracil; goitrogenic effect not altered by U-9189 in rat, 128
THIOUREA
—— effect on $I^{131}$ uptake in euthyroid versus hyperthyroid patients, 1566
—— failure of to prevent hormone synthesis after admin. of TSH, 157
THYROGLOBULIN: *see* Thyroid, preps. & comps.
THYROID: *see also* Antithyroid drugs; Iodine
DISORDERS
—— carcinoma; forms, stages and survival rates over 40-year period; application to surgical approach, 1596
—— carcinoma; solitary metastasis to liver; cause of thyrotoxicosis, 1334
—— goiter, endemic, in Uele region (Rep. of Congo); functional studies, 175, 996
—— goiter in rat; dietary and produced by U-9189, 128
—— goiter, slight, in some Venezuelan Indians; iodine excretion, 1009
—— goitrous adults, eumetabolic; abnormal iodoproteins in blood, 1390
—— goitrous cretinism, familial; defective organification of I in, 21
—— Hashimoto's versus other nontoxic nodular goiters; TSH-PBI test, 465
—— nontoxic goiter; electrical capacity of skin correlated with BMR and $I^{131}$ uptake, 1054
—— nontoxic goiter; system of radioiodine therapy for, 817
—— nontoxic goiter versus toxic goiter; effect of thyro-inhibitors on $I^{131}$ uptake in, 1566
—— thyroid dysfunction in mentally defective Klinefelter subjects with XXXY chromosome complex, 491
—— thyroiditis and TSH, 738
—— thyroiditis, granulomatous; permanent myxedema following, 1384
—— thyroiditis, Hashimoto's; comparison of certain lab. tests for, 879
—— thyroiditis, Hashimoto's; effect of iodides on, 1037
—— thyroiditis, Hashimoto's; iodine metab. in, 806
—— thyrotoxicosis; antithyroid effect of U-9189; toxicity, 128
*Hyperthyroidism (exophthalmic goiter; Graves' disease; thyrotoxicosis; toxic adenoma)*
—— application of thiourea-TSH effects to treatment, 157
—— basal metabolism; *see also* Basal Metabolism
—— catecholamines of blood in, 281
—— decreased thyroxine-binding by serum proteins, with normal PBI; 2 cases, 1455
—— due to solitary hepatic metastasis of thyroid ca., 1334
—— effect of magnesium loading on BMR and calcium, 31
—— effect of thyroidectomy on $PBI^{131}$, $BEI^{131}$ and turnover of radiothyroxine, 336
—— effect of TSH on urinary and thyroidal iodide; influence of methimazole and KSCN, 554
—— electrical capacity of skin correlated with BMR and $I^{131}$ uptake, 1054
—— exophthalmos: *see also* Eyes
—— fractionation of plasma TSH, 1280
—— Graves' disease versus toxic nodular goiter; TSH-PBI test, 465
—— glucose utilization and response to insulin in, 387
—— hydrocortisone metabolism in, 1231
—— hyperthyroid versus euthyroid patients in their response to thyro-inhibitory substances, 1566
—— inhibition of $I^{131}$ uptake by parabromdylamine maleate, 739
—— iodine in treatment and diagnosis: *see also* Iodine
—— juvenile; antithyroid antibody in, 209

THYROID (*cont'd.*)
DISORDERS (*cont'd.*)
—— L.A.T.S. in serum; dose-responses compared with those of TSH, 799
—— preop. treatment with antithyroid drugs and thyroxine; changes in eye signs, 72
—— progressive exophthalmos; EPS in serum, 648
—— prognostic value of early $I^{132}$ uptake after $I^{131}$ therapy, 1483
—— protein-bound iodine (PBI) of serum in: *see also* Iodine
—— quant. observations with $T_3$ suppression test; comparison with $T_4$ test, 189
—— radioactive iodine in study and treatment: *see also* Iodine, radioactive
—— renal function in; effect of thyroid hormones, 548
—— resin uptake of $I^{131}$-$T_3$ from serum, as test of thyroid function, 456
—— resin uptake of $I^{131}$-$T_4$ from serum in, 1448
—— system of radioiodine therapy for, 817
—— thyroid activator of, compared to TSH, 635
—— thyroid-stimulating (thyrotropic) hormone (TSH) in: *see also* Pituitary preps. and comps.
—— thyroid suppressibility after $I^{131}$ therapy for; various time intervals; application to diagnosis, 569
—— thyroidal uptake of $I^{131}$ in: *see also* Iodine, radioactive
—— toxic nodule, solitary; effect of iodides on, 1037
—— TSH in serum; effect of thyroidectomy, 1127
*Hypothyroidism (cretinism; myxedema)*
—— action of diphenylhydantoin on PBI in, 252
—— cretinism assoc'd with endemic goiter, Uele region, Rep. Congo; functional studies, 175
—— effect of hog TSH (also inactivated form) in, 1494
—— effect of magnesium loading on BMR (before & after $T_3$) and calcium, 31
—— electrical capacity of skin correlated with BMR and $I^{131}$ uptake, 1054
—— familial goitrous cretinism; inheritance of defective organification of I in, 21
—— fractionation of plasma TSH, 1280
—— glucose utilization and response to insulin in, 387
—— hydrocortisone metabolism in, 1231
—— myxedema; diagnostic tests in diagnosis *vs.* H. thyroiditis, 879
—— myxedema; dissociation of response to Triac in, 1044
—— myxedema rate in system of radioiodine therapy for toxic and nontoxic goiter, 817
—— myxedema; remission after 4 injections of TSH, 213
—— myxedema; the blepharoptosis of; relation to sympathetic n. system, 1402
—— permanent myxedema after granulomatous thyroiditis, 1384
—— postoperative; TSH in serum, 1127
—— pretibial myxedema and exophthalmos; EPS in serum, 648
—— primary versus secondary myxedema; TSH-PBI test, 465
—— protein-bound iodine (PBI) of serum in: *see also* Iodine, radioactive
—— relation to antithyroid antibodies in pregnancy and newborn, 792
—— renal function in; effect of thyroid hormones, 548
—— resin uptake of $I^{131}$-$T_3$ from serum as test of thyroid function, 456
—— resin uptake of $I^{131}$-$T_4$ from serum in, 1448
—— thyroidal uptake of $I^{131}$ in: *see also* Iodine, radioactive
—— thyroidectomized patients; cortisol removal rates in, 1248
—— treatment of, with thyroid compounds: *see also* Thyroid preps. & comps.
PHYSIOLOGY & PATHOLOGY
—— antibodies: *see also* Antibodies
—— antithyroid antibody in juvenile diabetes, 209
—— changes in thyroid function produced by diphenylhydantoin, 252
—— histologic types of carcinoma related to end-result; statistical study of 390 cases over 40-year period, 1596
—— hormone: *see also* Thyroid preps. & comps.; Iodine
—— hormogenesis in thyroids of goitrous Uele region, 996
—— influence on metab. of hydrocortisone, 1231
—— nuclear changes in thyroid epith. foll'g $I^{131}$ radiation and thiouracil, 699
—— pathologic studies: *see also* Thyroid disorders
—— protein-bound iodine (PBI) of serum: *see also* Iodine
—— radioactive iodine in study of: *see also* Iodine, radioactive
—— response of thyroid to TSH, 738
—— size of thyroid; effect on radiosensitivity, 817
—— slices of normal thyroid and of exoph. goiter; iodine metab. in, 849
—— thyroid activator of serum in thyrotoxicosis, 1127
—— thyroid function and carbohydrate metab., 387
—— thyroid function and magnesium balance, 31
—— thyroid function and phenylketonuria, 865
—— thyroid function in old and young men; cortisol metab., 1197
—— thyroid function in the normal male;

THYROID (*cont'd.*)
PHYSIOLOGY & PATHOLOGY (*cont'd.*)
failure of vasopressin or oxytocin to stimulate, 1543
—— thyroid function; studies of: *see also* Iodine, radioactive; Pituitary preps. & comps. (TSH); Thyroid preps. & comps.
—— thyroid gland in case of thyrotoxicosis from solitary hepatic metastasis from thyroid ca., 1334
—— thyroid hydrolysates (g. pig); thyroid synthesis after various treatments with thiourea and TSH, 157
—— thyroid suppressibility after therapy for thyrotoxicosis, 569
—— thyroid tissue after 3 attacks of thyroiditis foll'd by permanent myxedema, 1384
—— thyroid-stimulating (thyrotropic) hormone (TSH): *see also* Pituitary preps. & comps.
—— thyroidal $I^{131}$ uptake: *see also* Iodine, radioactive
—— thyroidal $I^{132}$ uptake after oral and i.v. admin., in study of purified TSH, 1469, 1475
—— thyroidal $I^{132}$ uptake soon after $I^{131}$ therapy; prognostic value, 1483
—— thyroxine-binding protein or globulin (TBP or TBG) of serum: *see also* Thyroid preps. & comps.; Iodine; Protein
—— variations in size and histology of thyroid during treat. with antithyroid drugs and thyroxine, 72
PREPARATIONS & COMPOUNDS
—— hormone synthesis; failure of thiourea to prevent in TSH-treated subjects, 157
—— $I^{131}$ in study of: *see also* Iodine, radioactive
—— $I^{131}$-$T_3$; erythrocyte uptake of; effect of diphenylhydantoin; interference with thyroxine binding in plasma, 252
—— $I^{131}$-triiodothyronine; resin uptake of, as test of thyroid function, 456
—— iodinated compounds: *see also* Iodine
—— radiothyroxine; resin uptake of, from serum, 1448
—— radiothyroxine, turnover of; effect of thyroidectomy on, 336
—— $T_3$; effect on cortisol metab. in aged man, 1197
—— $T_3$; effect on cortisol removal rate in thyroidect'd patients, 1248
—— $T_3$ and $T_4$; effect on abnormal blood iodoproteins in goitrous adults, 1390
—— $T_3$, $T_4$, DIT and thyroglobulin; effect on iodine metab. in slices of exoph. goiter, 849
—— $T_3$, $T_4$, MIT and iodides in serum of patient with thyrotoxicosis due to an hepatic metastasis, 1334
—— TBG and distrib. of thyroxine in the primate; effect of pregnancy on, 779
—— TBG and TBP: *see also* Protein
—— $Tetrac^{131}$ and $Triac^{131}$; peripheral metabolism in euthyroid and in bile-fistula subjects, 1548
—— thyroglobulin (hog) $I^{131}$-labeled; components of PBI foll'g admin. of, 1572

THYROID (*cont'd.*)
PREPARATIONS & COMPOUNDS (*cont'd.*)
—— thyroid activator of hyperthyroidism *vs.* TSH, 635
—— thyroid and cortisone therapy in Sheehan's syn.; reappearance of menses and gonadotropins, 1007
—— thyroid and sympathetic nervous syst. hormones in myxedema, 1402
—— thyroid hormone ($T_3$); influence on hydrocortisone production and metab., 1231
—— thyroid hormone therapy; response to in dystrophia myotonica, 1592
—— thyroid hormones, synthesis of; effect of U-9189 on, 128
—— thyroid hormones ($T_3$, $T_4$, MIT, DIT); and secretion of in endemic goiter of Uele region, 996
—— thyronine; chlorine derivatives of; effect on serum and liver cholesterol and myocardium, 1579
—— thyroxine and $T_3$; effect on kidney function in thyroid disease, 548
—— thyroxine and $T_3$ suppression after $I^{131}$ therapy for thyrotoxicosis, 569
—— thyroxine and $T_3$ turnover studies in dystrophia myotonica, 1592
—— thyroxine and Tetrac; binding to prealbumin, 104
—— thyroxine binding by serum proteins low in 2 sisters with hyperthyroidism; RBC uptake of $I^{131}$-$T_3$, 1455
—— thyroxine; det'n of in serum in presence of some iodine contaminants, 1272
—— $thyroxine^{131}$; diurnal pattern in rate of disappearance from serum, 582
—— thyroxine; effect on growth of pituitary dwarf, 721
—— thyroxine plus antithyroid drugs; preop. treatment of thyrotoxicosis with, 72
—— triiodothyroacetic acid (Triac); dissociation of response to; comparison with thyroid substance and Tetrac, 1044
—— triiodothyronine and magnesium; metabolic effects of in hypothyroidism, 31
—— triiodothyronine in blood of some subjects from Uele endemic goiter zone, Rep. Congo, 175
—— triiodothyronine suppression test versus thyroxine s. test, 189
—— tyrosine pool; $T_4$ and $T_3$ of serum, in case of phenylketonuria, 865
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary preps. & comps.
THYROIDITIS: *see* Thyroid disorders
THYRO-INHIBITORY SUBSTANCES: *see* Antithyroid drugs; Methimazole; Thiocyanate; Thiouracil; Thiourea
THYRONINES: *see* Thyroid preps. & comps.
THYROTOXICOSIS: *see* Thyroid disorders, hyperthyroidism
THYROTROPIC HORMONE (TSH): *see* Pituitary preps. & comps.
THYROXINE: *see* Thyroid preps. & comps.
THYROXINE-BINDING GLOBULIN (TBG) OR PROTEIN (TBP): *see* Thyroid preps. & comps.; Protein

TISSUES: *see also* under organ involved
—— cells: *see* Cells
—— chromosomes: *see* Nuclei; Sex
—— human; transmethylation of 2-OH-estrogens by, 211
—— liver, adrenal, gonads, blood; quant. extraction and partial purification of steroids in, 62
—— slices: *see* under organ involved
—— sublabial absorption of gonadotropin, 579
—— various cells; nuclear sex chromatin: *see* Sex
—— various tissues; assay of TSH in, 1280
TOLBUTAMIDE: *see also* Diabetes
—— diagnostic value of in hypoglycemic states, 371
—— therapy; correlation of insulin dosage with, 533
TOXIC ADENOMA: TOXIC GOITER: *see* Thyroid disorders, hyperthyroidism
TOXIC REACTIONS: *see also* Temperature, pyrogens
—— to U-9189, 128
TRAINING PROGRAMS: *see* Notices
TRANQUILIZERS: *see* Nervous system
TRAUMA: *see* Mental; Surgery
TRIAC: *see* Thyroid preps. & comps.
TRIAMCINOLONE: *see* Adrenal preps. & comps.
TRICHLOROTHYRONINE: *see* Thyroid preps. & comps., thyronine
1,1,3-TRICYANO-2-AMINO-1-PROPENE (U-9189): *see* Antithyroid drugs; Thyroid
TRIGLYCERIDES: *see* Fat; Lipids
TRIIODOTHYROACETIC ACID (Triac): *see* Thyroid preps. & comps.
TRIIODOTHYRONINE ($T_3$): *see* Thyroid preps. & comps.
TRIIODOTHYROPROPIONIC ACID (Trip): *see* Thyroid preps. & comps.
TRIMETHYLCOLCHICINIC ACID; effect on cortisol removal rate in leukemia, 1248
TRITIUM: *see* Radioactive, $H^3$
TSH: *see* Pituitary preps. & comps.
TUBERCULOSIS; anabolic action of mestanolone in women with, 1099
TUMORS: *see also* Cancer; and under organ involved
—— adrenal: *see also* Adrenal disorders; and Cushing's syn.
—— arrhenoblastoma; formation of androgens by *in vitro*, 165
—— carcinoid: *see* Cancer
—— eosinophilic adenoma: *see* Pituitary disorders
—— fibrosarcoma, retroperitoneal assoc'd with spont. hypoglycemia; insulin activity in 541
—— function studied by $I^{131}$: *see* Iodine, radioactive
—— goiter: *see* Thyroid disorder
—— hilus-cell tumor of ovary in virilized woman; plasma testosterone; urinary 17-KS, 98
—— insuloma: *see* Pancreas; Insulin
—— interstitial-cell: *see* Testis; Ovary
—— islet-cell: *see* Pancreas; Insulin
—— leiomyomas of uterus; correlation with ovarian stromal hyperplasia, 472
TUMORS (*cont'd.*)
—— Leydig-cell, of ovary, causing virilization, 91
—— neuroblastoma in children; excretion of catecholamines and metabolites; effect of cytoxan, 321
—— pancreatic adenoma: *see* Pancreas
—— steroid-secreting, testicular; *see* Testis
TYROSINES: *see* Thyroid preps. & comps.

U-9189: *see* Antithyroid drugs, tricyano-aminopropene
UELE REGION (Africa): endemic goiter in, 175, 996
UFA (unesterified fatty acid): *see* Fat
UMBILICAL CORD: *see* Pregnancy
UPJOHN SCHOLAR AND AWARDS: *see* Endocrine Society
UREA: *see* Nitrogen
UREMIA: *see* Kidney
URINE: *see also* Kidney; Water
—— adrenocortical metabolites: *see* Adrenal preps. & comps.
—— aldosterone: *see* Adrenal preps. & comps.
—— amino acids: *see* Nitrogen
—— ammonia: *see* Ammonia
—— and concrete re kidney stones, 1254
—— androgens: *see* Androgens; Steroids
—— androsterone plus etiocholanolone: *see* Steroids, 17-KS; Androgens
—— aromatic acids: *see* Aromatic acids
—— calcium: *see* Calcium; Electrolytes; Parathyroids
—— catechol amines: *see* Adrenal preps. & comps. (epinephrine, norepinephrine)
—— chloride: *see* Electrolytes; Sodium
—— chorionic gonadotropin: *see* Gonadotropins; Pregnancy
—— corticoids; corticosteroids: *see* Adrenal preps. & comps.
—— creatinine: *see* Nitrogen
—— dehydroepiandrosterone: *see* Adrenal preps. & comps.; Steroids, 17-KS; Androgens
—— diabetes insipidus: *see* Pituitary disorders
—— diuresis: *see* Kidney; Pituitary disorders (diabetes insip.); Pituitary preps. & comps. (ADH, vasopressin); Water
—— electrolytes: *see* Electrolytes
—— epinephrine and norepinephrine: *see* Adrenal preps. & comps.
—— estrogens: *see* Estrogens; Steroids
—— excretion of radioactive progesterone *vs.* cortisol groups of steroids, 753
—— follicle-stimulating hormone (FSH): *see* Gonadotropins
—— glucose: *see* Carbohydrate metab.; Diabetes mell.
—— gonadotropin: *see* Gonadotropins
—— gonadotropin-inhibiting substance: *see* Gonadotropins
—— HPG: *see* Gonadotropins
—— 17-hydroxycorticosteroids (17-OH-CS): *see* Adrenal preps. & comps.
—— 6β-hydroxycortisol and other new polar corticoids in, 1290
—— 17α-hydroxypregnenolone: *see* Adrenal preps. & comps.; Pregnenolone

URINE (*cont'd.*)
—— hypercalciuria: *see* Calcium
—— $I^{131}$ excretion: *see* Iodine, radioactive
—— in pregnancy: *see* Gonadotropins; Pregnancy; Pregnanediol
—— interstitial-cell stimulating hormone (ICSH): *see* Gonadotropins
—— iodine compounds: *see* Iodine
—— 17-ketogenic steroids (17-KGS): *see* Adrenal preps. & comps.; Steroids
—— 17-ketosteroids (17-KS): see Steroids, 17-KS; and Adrenal preps. & comps.
—— 17-OH-CS: *see* Adrenal preps. & comps.
—— methods for determination of constituents: *see* Methods; Tests
—— 3-methoxy-4-hydroxymandelic acid: *see* Adrenal preps. & comps.
—— nitrogen: *see* Nitrogen; Protein
—— osmolality and volume during sustained admin. of vasopressin and water, 231
—— osmolality, titratable acidity, pH, and solute excretion; cyclical changes in during adaptation to DOC-induced Na retention, 1426
—— pentosuria; metab. of L-xylulolose in, 887
—— phenylketonuria and thyroid function, 865
—— phosphorus: *see* Phosphorus; Parathyroids
—— pigment in after U-9189 admin., 128
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol; pregnanetriol: *see* Pregnanediol; Pregnanetriol
—— pregnenetriol: *see* Pregnenetriol
—— radioactive compounds: *see* Radioactive; and Iodine, radioactive
—— renal function: *see* Kidney
—— sodium: *see* Sodium; Electrolytes
—— steroids: *see* Adrenal preps. & comps.; Androgens; Estrogens; Pregnanediol and -triol; Pregnenolone; Pregnenetriol; Steroids
—— sugar: *see* Carbohydrate metab.; Diabetes mell.
—— THF, ATHF and THE: *see* Adrenal preps. & comps.
—— urinary and biliary metabolites of 4-$C^{14}$-17α-OH-progesterone, 1534
UTERUS AND VAGINA: *see also* Menstruation; Ovary; Pregnancy
—— endometrial overgrowth and leiomyomas; correlation with ovarian stromal hyperplasia, 472
—— fetus: *see* Pregnancy
—— menstruation: *see* Menstruation; Ovary
—— placenta: *see* Pregnancy
—— pregnancy: *see* Pregnancy
—— vaginal smear; effect of single inj. of human pit. FSH on in amenorrhea, 1068
—— vaginal smears: *see also* Estrogens; Menstruation; Ovary

VAGINA: VAGINAL: *see* Uterus and Vagina
VASCULAR SYSTEM: *see also* Blood; Heart
—— arteriosclerosis in relation to ovarian stromal hyperplasia, 472
VASCULAR SYSTEM (*cont'd.*)
—— hypertension; catecholamines of blood in, 281
—— hypertension in assoc. with high production of norepinephrine in some children with neuroblastoma, 321
—— portal *vs.* peripheral venous infusion of hydrocortisone in dog; effect on plasma 17-OH-CS, 39
—— pulse pressure and rate; effect of hog TSH on, 1494
—— pulse rates in thyrotoxicosis after operation; effect of preop. treat. with antithyroid drugs & thyroxine, 72
VASOPRESSIN: *see* Pituitary preps. & comps. (ADH, Pitressin)
VEINS: *see* Vascular system
VENEZUELAN INDIANS; iodine excretion, 1009
VIRILIZATION: *see also* Adrenal disorders; Androgens; Hair; Ovary; Testis
—— assoc'd with adrenal disease; *see also* Adrenal disorders; and Cushing's syn.
—— by arrhenoblastoma forming androgens *in vitro*, 165
—— excretion of DHA, 17-OH-CS and 17-KS, 955
—— hirsutism, idiopathic: *see* Hair
—— in women with adrenal and with ovarian tumors; plasma testosterone, 98
—— in women with Leydig-cell tumor of ovary, 91
—— virilized women; steroid excretion; effects of hormone admin., 923, 931
—— virilizing adrenal adenoma: *see* Adrenal disorders
VITAMINS
—— D in treatment of postmenop. osteoporosis; hypercalcemia from, 101
—— D-resistant case of hypoparathyroidism responsive to $MgSO_4$, 219

WATER: *see also* Kidney; Urine
—— and vasopressin; sustained admin. of; renal response to, 231
—— antidiuretic hormone: *see* Pituitary preps. & comps.
—— diabetes insipidus: *see* Pituitary disorders
—— free water loss; changes during adaptation to DOC-induced Na retention, 1426
—— from rivers in Venezuela; iodine content, 1009
—— lacking in I in Uele endemic goiter region, Rep. Congo, 175
—— polyuria: *see* Urine
WOMEN: *see* Sex; Ovary

X-RAYS: *see* Roentgen
XXXY sex chromosome complex in Klinefelter subjects with duplicated sex chromatin, 491
XYLITOL DEHYDROGENASES: *see* Enzymes
L-XYLULOSE metabolism; normal and abnormal, 887